## **EDU2011 Application Requirements:**

Applicant Wireless Program. On the date the Sixth Report and Order was adopted (September 23, 2010) eligible applicants already should have implemented or begun the process of implementing [3] a program to provide off-premise connectivity to students or library patrons through the use of portable wireless devices.

Application Length. Applications shall be no longer than 20 pages <u>including</u> any exhibits. Any relevant technology planning documents (*see* number 8, below), however, do not count toward the 20 page limit. The Commission will not review any application that is greater than 20 pages in length.

*Required Information (all applicants).* The application must contain the following information for all applicants:

Name – Thomas O'Brien Organization – Stoughton Area School District Address – 320 North Street, Stoughton, WI, 53589 Email – Thomas.o'brien@stoughton.k12.wi.us

- (1) a full description of the current or planned Applicant Wireless Program, including but not limited to:
  - 1. the nature of the Applicant Wireless Program, including the extent to which the use of connectivity is interactive and utilizes the Internet,
  - 2. how long the Applicant Wireless Program has been in operation and the mobile wireless device(s) being used,
  - 3. a description of any technical issues associated with implementing the Applicant Wireless Program, including an analysis of any problems with the availability of wireless access to students or patrons off the school or library premises and how those issues are being or will be addressed by the school or library,
  - 4. what training has been or will be provided to teachers, librarians, students or parents to implement the Applicant Wireless Program, and
  - 5. the extent to which the Applicant Wireless Program is integrated with federal, Tribal, state, regional or local governmental or non-profit initiatives to achieve educational or community access outcomes;

To prepare all students for the 21<sup>st</sup> century global economic, it is essential that all students understand and learn how to maximize the potential of electronic devices. One of the goals of Stoughton Area School District (SASD) is to provide electronic learning opportunities for all students. In 1996, the SASD, local hospital, nursing home, city offices, private schools, and public libraries join together to provide fiber network between all locations. The group's goal was to provide better means of communication in which the district and communication would be able to help students improve academic achievement. District computer were located in the public library, youth center, and both nursing facilities.

Over the last two years, SASD has been implementing a wireless access district-wide. The district has been providing each build with several sets of computers on wheels (COWs),

wireless printer, and wireless projectors. The parent teacher organization Working For Students (WFS) has been purchasing wireless projectors and Smartboards for each classroom to help offset district cost. These wireless tools are helping the teachers to be more flexible with the design and implementation of engaging activities.

In the spring of 2010, SASD successfully passed a Core Infrastructure/Unified Communications System referendum. The passage of the referendum has giving the district the ability to update the current core infrastructure and complete the wireless system throughout the entire school district. Because of the large land area the district covers and the land topography, there are groups of residences of the SASD which are unable to receive Internet access through telephone, dish, or cell Internet Services. Reviewing data for the last several years has shown the SASD enrollment is declining, our low social economic levels are rising, and more students do not have access to the Internet at their homes. Many of the social economic families also need to care for younger siblings and does restrict their ability to access local libraries. In addition, technology devices are become smaller and mobile. Students want to be engaged more and have the opportunity to learn when they have the desire and need to understand.

With 14 years of experience working together to provide support of the fiber Community Area Network, the Stoughton learning community has worked very well together. The group grasps the importance of teamwork to achieve the common goal, providing better electronic communications, and helping prepare student for the 21<sup>st</sup> century global economy.

SASD's Board of Education has begun the process of developing a strategic plan in which the district would enlist input for all stakeholders. The Strategic Plan would provide the opportunity for the district to better understand how the district can continue to reach out to the community to provide services and educational opportunities to meet the communities' educational needs.

The district is also working on its Information, Literacy, and Technology (IL&T) Plan this year. Some of the needs identified are access to electronic resources through mobile devices and the need to for technology initiatives to align the districts strategic plan, curriculum and instruction philosophy, and integrated comprehensive services plan. The development of the new IL&T plan outlines the high quality professional development and other training opportunities that will reach out to all stakeholders.

To meet the need of low social economic groups, SASD plans to us the model established at Rhode Island. Upon the completion of the wireless project and working with local foundation, SASD would provide an opportunity for the community to purchase mobile technology devices which would connect to the wireless network. A five week mandatory training course would follow educating all how the device would work. Upon completion of the five week course, the mobile technology device would be given to the family for a small fee (I.e. \$50). All students everywhere throughout the district would have the capability to connect the network, access necessary resources for learning and work. All students will have the ability to learn anytime, anyplace, anywhere.

(2) the poverty level based on the percentage of students eligible for a free or reduced-price lunch under the national school lunch program (NSLP) or a federally approved alternative mechanism, and the current discount rate of the school or library;

Our current reimbursement rate is 43%

(3) the financial need of the school or library, including any additional budgetary hardships, notwithstanding the school or library's current discount rate;

The community of the Stoughton Area School District has made a large financial commitment toward the success of this program by passing the spring 2010 referendum which provided over \$700,000 for a replacement of the CAN Core Infrastructure. The original community leaders organization, who established the fiber infrastructure 14 years early, are currently meeting to determine gather the details and financial commitment necessary to complete a wireless project district-wide.

(4) all costs, including those eligible for E-rate support and those not eligible for E-rate support, associated with implementing the Applicant Wireless Program, including but not limited to costs for equipment such as e-readers or laptops, access and connection charges, teacher training, librarian training, or student/parent training;

The next 5 pages are the parts required to complete the school district internal wireless infrastructure. The community organization is still in the meeting stages to develop the long-range plan and equipment needs.

Quote No:

Project Name: SASD

Created On: 15 Dec 2010

Expiration Date: 30 Dec 2010

Created with Library: 125.676

Library Creation Date: 11 Nov 2010

All Prices Are In: US Dollar

Price List Usd:

Cisco - Global Price List US Availability (Online)

SASD 15 Dec 2010 30 Dec 2010 12.5.676 11 Nov 2010 US Dollar

WS-C4510RE-S7+96V+         WS-C4510RE-S7+96V+         Cisco         4510R+E Chassis, Two WS-X4748-RJ45V+E         33,000.00         0.00           FR45-ISSU-POE-LIC         FR45-ISSU-POE-LIC         Cisco         Cat4500 ISSU PoE promo. license needs dual sup+48Pr6 ports         Included         0.00           WS-X478-RJ45V+E         WS-X478-RJ45V+E         Cisco         Catalyst 4500 E-Series Supervisor, 848 Gbps         Included         0.00           WS-X478-RJ45V+E         WS-X478-RJ45V+E         Cisco         Catalyst 4500 E-Series Supervisor, 848 Gbps         Included         0.00           C4500E-LB-ES         C4500E-LB-ES         Cisco         Catalyst 4500 E-Series Supervisor, 848 Gbps         19,995.00         0.00           CAB-AC-2800W-TWLK         CAB-AC-2800W-TWLK         Cisco         Lan Base to Enterprise Services paper         19,995.00         0.00           CON-SNT-4510RES7         CON-SNT-4510RES7         Cisco         JANATITET EXXXMBD 4510R-E Chassis,         2,706.00         0.00           GLC-SX-MM         GLC-SX-MM         Cisco         GE SFP, L Connector SX transceiver         500.00         0.00           PWR-C45-6000ACV         PWR-C45-6000ACVZ         Cisco         Catalyst 4500 6000W AC dual input Power         3,995.00         0.00           SASUK9-31-01XO         S45UK9-31-01XO         Cisco         Ca	0.00 0.00 0.00 0.00 0.00 0.00 0.00 550.00 2.000.00 3,200.00 800.00 2,000.00 1,000.00 1,000.00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3,695. 0. 0. 0. 0. 0. 0. 0. 0. 2,000. 0. 6,400. 700. 800. 1,600.
MEM-2900-512MB-DEF   MEM-2900-512MB-DEF   Cisco   STAMB DRAM for Cisco 2901-2921 ISR   Included   0.00   MEM-CF-256MB   Cisco   756MM Compact Flash for Cisco 1900, 2900, Included   0.00   3900 ISR   STAMB COMPACT Flash for Cisco 1900, 2900, Included   0.00   3900 ISR   STAMB COMPACT Flash for Cisco 1900, 2900, Included   0.00   3900 ISR   STAMB COMPACT Flash for Cisco 1900, 2900, Included   0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	1 1 1 1 1 1 1 1 1 1 2 1 1 1 1 2 1 1 1 1	0. 0. 0. 0. 0. 550. 2,000. 0. 6,400. 700. 800.
MEMCF-256MB   MEMCF-256MB   Circo   755MM Compact Flash for Circo 1900, 2900, Included   0.00	0.00 0.00 0.00 0.00 550.00 2,000.00 3,200.00 700.00 800.00 2,000.00 CISCO292 33,000.00 0.00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0. 0. 0. 550. 2,000. 0. 6,400. 700. 800.
PWR-221-15-LAC	0.00 0.00 0.00 550.00 2.000.00 0.00 3.200.00 700.00 800.00 2.000.00 CISCO292 33,000.00 0.00	1 1 1 1 1 1 1 1 1 2 1 1 1 1 2 1 1 1 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 3 1 2 3 2 3	0. 0. 550. 2,000. 0. 6,400. 700. 800.
SL29-PB-K9	0.00 0.00 550.00 2,000.00 0.00 3,200.00 700.00 800.00 2,000.00 CISCO292 33,000.00 0.00	1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	0. 550. 2,000. 0. 6,400. 700. 800.
CAB-AC CAB-AC Cisco	550.00 2,000.00 0,00 3,200.00 700.00 800.00 2,000.00 CISCO292 33,000.00 0.00	1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	550. 2,000. 0. 6,400. 700. 800.
S-15P, 2.1m	550.00 2,000.00 3,200.00 700.00 800.00 2,000.00 CISCO292 33,000.00 0.00	1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1	550. 2,000. 0. 6,400. 700. 800.
CON-SNT-2921 CON-SNT-2921 Cisco SMARTNET 8X5XNBID Gisco 2921 550.00 0.00 FL-CME-SRST-100 FL-CME-SRST-100 Cisco Cisco Caroniunicin Manager or SRST-100 2,000.00 0.00 seal license Cisco Caroniunicin Manager or SRST-100 2,000.00 0.00 0.00 cisco Cisco Caroniunicin Manager or SRST-100 2,000.00 0.00 0.00 cisco Cisco Cisco Cisco Caroniunicini Manager or Cisco	2,000.00 0.00 3,200.00 700.00 800.00 2,000.00 CISCO292 33,000.00 0.00	1	2,000. 0. 6,400. 700. 800.
FL-SRST   FL-SRST   Cisco   Cisco Survivable femole Site Telephony   0.00   0.00	3,200,00 700,00 800,00 800,00 2,000,00 CISCO292 33,000,00 0,00	1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1	0. 6,400. 700. 800.
FL-SRST FL-SRST Cisco Cisco Survivable Remote Site Telephony 0.00 0.00   FPUM3-64 PVDM3-64 Cisco 6-4-Channel high-density voice and video DSP 3.200.00 0.00   SL-29-UC-K9 SL-29-UC-K9 Cisco Unlified Communication License for Cisco 700.00 0.00   VIC2-4FXO VIC2-4FXO Cisco Four-port Voice Interface Card - FXO 800.00 0.00   VIC3-4FXS/IDID VIC3-4FXS/IDID Cisco Four-port Voice Interface Card - FXO 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Four-port Voice Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-2MFT-TI/E1 VVIC2-2MFT-TI/E1 Cisco Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CISCO Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CISCO Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CISCO Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CISCO Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CISCO Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CISCO Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CISCO Cardays 4500 Interface Card - FXS and DID 800.00 0.00   VVIC2-4FX0WILL CI	3,200.00 700.00 800.00 2,000.00 CISCO292 33,000.00 0.00	2 1 1 2 1 121/K9	6,400. 700. 800. 1,600.
PVDM3-64   PVDM3-64   Cisco	700.00 800.00 800.00 2,000.00 CISCO292 33,000.00 0.00	1 1 2 1 121/K9	700. 800. 1,600.
SL-29-UC-K9	800.00 2,000.00 CISCO292 33,000.00 0.00	1 2 1 1 21/K9	800. 1,600.
\( \text{ViC2-4FXO} \) \( \text{ViC2-4FXO} \) \( \text{ViC2-4FXO} \) \( \text{ViC3-4FXS/DID} \) \( \te	2,000.00 CISCO292 33,000.00 0.00 0.00	2 1 121/K9	1,600.
VIC3-4FXS/DID         VIC3-4FXS/DID         Cisco         Four-Port Voice Interface Card - FXS and DID         800.00         0.00           VWIC2-2MFT-T1/E1         VWIC2-2MFT-T1/E1         Cisco         2-Port 2nd Gen Multiflex Trunk Voice/WAN         2,000.00         0.00           WS-C4510RE-S7+96V+         WS-C4510RE-S7+96V+         Cisco         4510R+C Chassis, Two WS-X4748-RJ45V+E         33,000.00         0.00           FR45-ISSU-POE-LIC         Cisco         Catalyst 4500 E-Series Supervisor, 848Clbps         Included         0.00           WS-X45-SUP7-E         WS-X45-SUP7-E         Cisco         Catalyst 4500 E-Series Supervisor, 848Clbps         Included         0.00           WS-X4748-RJ45V+E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500 E-Series Supervisor, 848Clbps         Included         0.00           C4500E-LB-ES         Cisco         Cisco         Lor Base to Enterprise Services paper         19,995.00         0.00           LOS-DA-C-2800W-TWLK         CAB-AC-2800W-TWLK         Cisco         U.S. Power Cord, Twist Lock, NEMA G-20 Plug         0.00         0.00           CON-SNT-4510RES7         Cisco         SMARTINET 8XXXXRID 4510R+E Chassis, Two SX transceiver         2,706.00         0.00           GL-SX-MM         GLC-SX-MM         Cisco         Catalyst 4500 6000W AC dual input Power         3,995.00 <td>2,000.00 CISCO292 33,000.00 0.00 0.00</td> <td>1 121/K9</td> <td></td>	2,000.00 CISCO292 33,000.00 0.00 0.00	1 121/K9	
\text{VWIC2-2MFT-T1/E1} \text{VWIC2-2MFT-T1/E1} \text{Cisco} \text{2-Port 2nd Gen Multiflex Trunk Voice/WAN} \text{2,000.00} \text{0.00} \	CISCO292 33,000.00 0.00 0.00	21/K9	2,000.
Int. Card - T1/E1	CISCO292 33,000.00 0.00 0.00	21/K9	
Sup7-E	0.00 0.00 0.00	1	17,745.
WS-X45-SUP7-E	0.00		33,000.
WS-X45-SUP7-E         WS-X45-SUP7-E         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         Included         0.00           WS-X4748-RJ45V+E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500E 48-Port PoE 802.3at         Included         0.00           C4500E-LB-ES         Cisco         Lan Base to Enterprise Services paper         19.995.00         0.00           CAB-AC-2800W-TWLK         CAB-AC-2800W-TWLK         Cisco         U.S. Power Cord, Twist Lock, NEMA 6-20 Plug         0.00         0.00           CON-SNT-4510RES7         Cisco         SAMARTNET 8X5XNBD 4510R+E Chassis,         2,706.00         0.00           GLC-SX-MM         GLC-SX-MM         Cisco         GE SFP, LC connector SX transceiver         500.00         0.00           PWR-C45-6000ACV         PWR-C45-6000ACV         Cisco         Catalyst 4500 6000W AC dual input Power         3,995.00         0.00           S45UK9-31-01XO         S45UK9-31-01XO         Cisco         Catalyst 4500 6000W AC dual input Power         3,995.00         0.00           SFP-H0GS-R         SFP-H10GB-CUSM         SFP-H10GB-CUSM         Cisco         CAT4500s SUP7e Universal Crypto Image         0.00         0.00           WS-X458-GB-RJ45         WS-X458-GB-RJ45         Cisco         Catalyst 4500 Enhanced 48-Port 10/100/1000         5,495.00         0.00<	0.00:	1	0.
C4500E-LB-ES C4500E-LB-ES Cisco Lan Base to Eneterprise Services paper 19,995.00 0.00  CAB-AC-2800W-TWLK CAB-AC-2800W-TWLK Cisco U.S. Power Cord, Twist Lock, NEMA 6-20 Plug 0.00 0.00  CON-SNT-4510RES7 CON-SNT-4510RES7 Cisco SMARTINET 8X5XNBD 4510R+E Chassis, 2,706.00 0.00  GLC-SX-MM GLC-SX-MM Cisco GE SFP, LC connector SX transceiver 500.00 0.00  PWR-C45-6000ACV PWR-C45-6000ACV Cisco Catabyst 4500 6000W AC dual input Power 3,995.00 0.00  PWR-C45-6000ACV/2 PWR-C45-6000ACV/2 Cisco Catabyst 4500 6000W AC dual input Power 3,995.00 0.00  S45UK9-31-01XO S45UK9-31-01XO Cisco CAT4500e SUP76 Universal Crypto Image 0.00 0.00  SFP-HI0GB-CUSM SFP-HI0GB-CUSM Cisco CAT4500e SUP76 Universal Crypto Image 1.495.00 0.00  WS-X45-8UF7-E/Z WS-X45-SUP7-E/Z Cisco Catabyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00  WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series 12-Port 10GB-CS-SRE 10/10/10/1000(RJ45)  WS-C4510RE-S7+96V+ WS-C4510RE-S7+96V+ Cisco Catabyst 4500 E-Series 12-Port 10GB-CS-SRE 10/10/10/100(RJ45)  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00		1	0.
C4500E-LB-ES C4500E-LB-ES Cisco Lan Base to Eneterprise Services paper 19,995.00 0.00   CAB-AC-2800W-TWLK CAB-AC-2800W-TWLK Cisco U.S. Power Cord, Twist Lock, NEMA 6-20 Plug 0.00 0.00   CON-SNT-4510RES7 CON-SNT-4510RES7 Cisco SMARTINET 8X5XNBD 4510R+E Chassis, 2,706.00 0.00   CON-SNT-4510RES7 CON-SNT-4510RES7 Cisco SMARTINET 8X5XNBD 4510R+E Chassis, 2,706.00 0.00   PWR-C45-6000ACV PWR-C45-6000ACV Cisco Catabyst 4500 6000W AC dual input Power 3,995.00 0.00   PWR-C45-6000ACV/2 PWR-C45-6000ACV/2 Cisco Catabyst 4500 6000W AC dual input Power 3,995.00 0.00   Supply (Data + Poel) Catabyst 4500 6000W AC dual input Power 3,995.00 0.00   S45UK9-31-01XO S45UK9-31-01XO Cisco Catabyst 4500 6000W AC dual input Power 3,995.00 0.00   SFP-10G-SR SFP-10G-SR Cisco CAT4500 SUPP Universal Crypto Image 0.00 0.00   SFP-10G-SR SFP-110GB-CUSM SFP-H10GB-CUSM Cisco 10GBASE-CU SFP+ Cable 5 Meter 260.00 0.00   WS-X45-SUP7-E/2 WS-X45-SUP7-E/2 Cisco Catabyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00   WS-X458-GB-RJ45 WS-X4548-GB-RJ45 Cisco Catabyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00   WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series 12-Port 10GbE (SFP+) 26,995.00 0.00   WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series 12-Port 10GbE (SFP+) 26,995.00 0.00   WS-X45-SUP7-E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00   WS-X45-SUP7-E WS-X458-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00   WS-X45-SUP7-E WS-X458-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00   WS-X458-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00   WS-X458-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00   WS-X458-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00   WS-X458-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor, 848Gbps Included 0.00   WS-X458-RJ45V+E WS-X4748-RJ45V+E Cisco Catabyst 4500 E-Series Supervisor,	19,995.00	2	0.
CAB-AC-2800W-TWLK CAB-AC-2800W-TWLK Cisco U.S. Power Cord, Twist Lock, NEMA 6-20 Plug 0.00 0.00 CON-SNT-4510RES7 CON-SNT-4510RES7 Cisco SMARTINET 8X5XNBD 4510R+E Chassis, 2,706.00 0.00 CON-SNT-4510RES7 CON-SNT-4510RES7 Cisco SMARTINET 8X5XNBD 4510R+E Chassis, 2,706.00 0.00 CON-SNT-4510RES7 CON-SNT-4510RES CON-SNT-4510RES7 CON-SNT-4510RES CON-SNT-4510RES7 CON-SNT-4510RES CON-SNT-4510RE		1	19,995.
GLC-SX-MM GLC-SX-MM Cisco GE SFP, LC connector SX transceiver 500.00 0.00  PWR-C45-6000ACV PWR-C45-6000ACV Cisco Catalyst 4500 6000W AC dual input Power 3.995.00 0.00  PWR-C45-6000ACV/2 PWR-C45-6000ACV/2 Cisco Catalyst 4500 6000W AC dual input Power 3.995.00 0.00  Supply (Data + PoE)  S45UK9-31-01XO S45UK9-31-01XO Cisco CAT4500e SUP7e Universal Crypto Image 0.00 0.00  SFP-10G-SR SFP-H0G-SR Cisco CAT4500e SUP7e Universal Crypto Image 0.00 0.00  SFP-H10GB-CUSM SFP-H10GB-CUSM Cisco 10GBASE-SR SFP Module 1,495.00 0.00  SFP-H10GB-CUSM SFP-H10GB-CUSM Cisco 10GBASE-SR SFP Module 1,495.00 0.00  WS-X45-SUP7-E/2 WS-X45-SUP7-E/2 Cisco Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00  WS-X4548-GB-RJ45 WS-X4548-GB-RJ45 Cisco Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00  WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500 E-Series 12-Port 10GBE (SFP+) 26,995.00 0.00  WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500 E-Series 12-Port 10GBE (SFP+) 26,995.00 0.00  WS-C4510RE-S7+96V+ WS-C4510RE-S7+96V+ Cisco Catalyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500 E-Series Supervisor, 848Gbps Included 0.00  WS-X478-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500 E-Series Supervisor, 848Gbps Included 0.00	0.00:	4	0.
GLC-SX-MM	2,706.00	1	2,706.
PWR-C45-6000ACV PWR-C45-6000ACV Cisco Catalyst 4500 6000W AC dual input Power 3,995.00 0.00 Supply (Data + PoE) Catalyst 4500 6000W AC dual input Power 3,995.00 0.00 Catalyst 4500 6000W AC dual input Power 3,995.00 0.00 Supply (Data + PoE) Catalyst 4500 6000W AC dual input Power 3,995.00 0.00 Supply (Data + PoE) Catalyst 4500 6000W AC dual input Power 3,995.00 0.00 Supply (Data + PoE) Catalyst 4500 6000W AC dual input Power 3,995.00 0.00 Supply (Data + PoE) Catalyst 4500 600W AC dual input Power 3,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Crypto Image 0,00 0,00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 14,950.00 0.00 0.00 WS-X45-SUP7-E/Z Cisco Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 19,995.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000 0.00 0.00 Supply (Data + PoE) Catalyst 4500 E-Series Supervisor, 848Gbps 10,000 0.00 0.00 Supply (Data + PoE) S	500.00	3	1,500.
Supply (Data + PoE)	3,995.00		3,995.
Supply (Data + Pole)	3,995.00	1 .	3,995.
SFP-10G-SR         SFP-10G-SR         Cisco         10GBASE-SR SFP Module         1,495.00         0.00           SFP-H10GB-CUSM         SFP-H10GB-CUSM         Cisco         10GBASE-CU SFP+ Cable 5 Meter         260.00         0.00           WS-X45-SUP7-E/Z         WS-X45-SUP7-E/Z         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         19,995.00         0.00           WS-X4548-GB-RJ45         WS-X4548-GB-RJ45         Cisco         Catalyst 4500 E-Inhanced 48-Port 10/100/1000         5,495.00         0.00           WS-X4712-SFP+E         WS-X4712-SFP+E         Cisco         Catalyst 4500 E-Series 12-Port 10GbE (SFP+)         26,995.00         0.00           WS-X4748-RJ45V+E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500E 48-Port PDE 802.3at         8,995.00         0.00           WS-C4510RE-S7+96V+         WS-C4510RE-S7+96V+         Cisco         4510R+E Chassis, Two WS-X4748-RJ45V+E, 33,000.00         0.00           WS-C45-ISSU-POE-LIC         FR45-ISSU-POE-LIC         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         Included         0.00           WS-X4748-RJ45V+E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         Included         0.00	. 0.00	1	0.
SFP-H10GB-CU5M   SFP-H10GB-CU5M   Cisco   10GBASE-CU SFP+ Cable 5 Meter   26.0.0   0.00	1,495.00		13,455.
WS-X45-SUP7-E/2         WS-X45-SUP7-E/2         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         19,995.00         0.00           WS-X4548-GB-RJ45         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         19,995.00         0.00           WS-X4712-SFP+E         WS-X4712-SFP+E         Cisco         Catalyst 4500 E-Series 12-Port 10GbE (SFP+)         26,995.00         0.00           WS-X4748-RJ45V+E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500E 48-Port PGE 802.3at         8,995.00         0.00           WS-C4510RE-S7+96V+         WS-C4510RE-S7+96V+         Cisco         4510R+E Chassis, Two WS-X4748-RJ45V+E, 33,000.00         0.00           FR45-ISSU-POE-LIC         FR45-ISSU-POE-LIC         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         Included         0.00           WS-X45-SUP7-E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         Included         0.00	260.00	-	260
WS-X4712-SFP+E	19,995.00	1	19,995.
WS-X4712-SFP+E         WS-X4712-SFP+E         Cisco         Catalyst 4500 E-Series 12-Port 10GbE (SFP+)         26,995.00         0.00           WS-X4748-RJ45V+E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500E 48-Port PoE 802.3at 10/100/100(PcJ45)         8,995.00         0.00           WS-C4510RE-S7+96V+         WS-C4510RE-S7+96V+         Cisco         4510R+E Chassis, Two WS-X4748-RJ45V+E, 33,000.00         33,000.00         0.00           FR45-ISSU-POE-LIC         FR45-ISSU-POE-LIC         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         Included         0.00           WS-X45-SUP7-E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500E -Series Supervisor, 848Gbps         Included         0.00	5,495.00	1	5,495.
WS-C4510RE-S7+96V+	26,995.00	1	26,995.
WS-C4510RE-S7+96V+         WS-C4510RE-S7+96V+         Cisco         4510R+E Chassis, Two WS-X4748-RJ45V+E, Sup7-E         33,000.00         0.00           FR45-ISSU-POE-LIC         FR45-ISSU-POE-LIC         Cisco         Cad4500 ISSU POE promo. license needs dual sup+48P6Eports         Included         0.00           WS-X45-SUP7-E         WS-X45-SUP7-E         Cisco         Catalyst 4500 E-Series Supervisor, 848Gbps         Included         0.00           WS-X4748-RJ45V+E         WS-X4748-RJ45V+E         Cisco         Catalyst 4500E 48-Port PoE 802.3at         Included         0.00			8,995.
Sup7-E   Sup7-E   Sup7-E   Sup7-E   Catalogue   Sup7-E   Sup7-E   Sup7-E   Sup7-E   Sup7-E   Sup7-E   Sup7-E   Sup7-E   Sup4-88°DEports   Sup4-88°DEports   Sup4-88°DEports   Sup4-88°DEports   Sup4-88°DEports   Sup4-88°DEports   Sup6-88°DEports   Sup7-88°DEports   Sup6-88°DEports	VS-C4510RE-S7+ 33,000.00		33,000.
### Sup+48PoEports  WS-X45-SUP7-E	0.00	1	0.
WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500E 48-Port PoE 802.3at Included 0.00	0.00		0.
			0.
10/100/1000(RJ45)	19,995.00		19.995
license			0.
0.07.0 20.007.11.00.007.007.007.007.007.007.007.			
CON-SNT-4510RES7 CON-SNT-4510RES7 Cisco SMARTNET 8X5XNBD 4510R+E Chassis, 2,706.00 0.00 Two WS-X4748-RJ45V+E	2,		2,706
GLC-SX-MM         GLC-SX-MM         Cisco         GE SFP, LC connector SX transceiver         500.00         0.00           PWR-C45-6000ACV         PWR-C45-6000ACV         Cisco         Catalyst 4500 6000W AC dual input Power         3,995.00         0.00	3,995.00		1,500 3,995
Supply (Data + PoE) PWR-C45-6000ACV/2 PWR-C45-6000ACV/2 Cisco Catalyst 4500 6000W AC dual input Power 3,995.00 0.00	3,995.00	1 :	3,995
Supply (Data + PoE)           \$45UK9-31-01XO         \$45UK9-31-01XO         Cisco         CAT4500e SUP7e Universal Crypto Image         0.00         0.00	0.00	1	0.
SFP-10G-SR	1,495.00		13,455
SFP-H10GB-CU5M         SFP-H10GB-CU5M         Cisco         10GBASE-CU SFP+ Cable 5 Meter         260.00         0.00	260.00		260 19,995
WOODSTPIELZ WOODSTPIELZ CIGO CHILDREN CONTROL	19,995.00 5,495.00		5,495
Base-T (RJ-45)	26,995.00		26,995
WOART LEGET COSCO COMPATIBLE COSCO COMPATIBLE COSCO CO			8,995
WS-X4748-RJ45V+E WS-X4748-RJ45V+E Cisco Catalyst 4500E 48-Port PoE 802.3at 8,995.00 0.00 10/100/1000(RJ45)	8,995.00		
	WS-C4510RE-S7+ rastructure\High S		140,386. 298,517.
nfrastructure\High School\Data Closet A  WS-C4510RE-S6-96V+ WS-C4510RE-S6-96V+ Cisco 4510-E Chassis, TwoWS-X4648-RJ45V+E, 30,000.00 0.00		1	30,000
Sup6-E	30.000.00		0
CVR-X2-SFP Cvr-X2-SFP Cisco Cisco TwinGig Converter Module Included 0.00	30,000.00		0

FR45-ISSU-POE-LIC	FR45-ISSU-POE-LIC	Cisco	Cat4500 ISSU PoE promo. license needs dua	Included	0.00	0.00 1	0.00
WS-X45-SUP6-E	WS-X45-SUP6-E	Cisco	sup+48PoEports Catalyst 4500 E-Series Sup 6-E, 2x10GE(X2)	Included	0.00	0.00 1	0.00
			w/ Twin Gig		0.00	0.00 2	0.00
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	Catalyst 4500 E-Series 48-Port PoE+ Ready 10/100/1000(RJ45)	Included			
CAB-AC-2800W-TWLK	CAB-AC-2800W-TWLK	Cisco	U.S. Power Cord, Twist Lock, NEMA 6-20 Plu	ig 0.00	0.00	0.00 4	0.00
PWR-C45-6000ACV	PWR-C45-6000ACV	Cisco	Catalyst 4500 6000W AC dual input Power	3,995.00	0.00	3,995.00 1	3,995.00
PWR-C45-6000ACV/2	PWR-C45-6000ACV/2	Cisco	Supply (Data + PoE) Catalyst 4500 6000W AC dual input Power	3,995.00	0.00	3,995.00	3,995.00
S45EESK9-12253SG	S45EESK9-12253SG	Cisco	Supply (Data + PoE) Cisco CAT4500E IOS ENTERPRISE	9,995.00	0.00	9,995.00: 1	9,995.00
			SERVICES SSH				
WS-X45-SUP6-E/2	WS-X45-SUP6-E/2	Cisco	:Catalyst 45xxR E-Series Sup 6-E, :2x10GE(X2) w/ Twin Gig	19,995.00	0.00	19,995.00: 1	19,995.00
WS-X4548-RJ45V+	WS-X4548-RJ45V+	Cisco	Catalyst 4500 PoE+ Ready 10/100/1000, 48- Port (RJ45)	7,495.00	0.00	7,495.00 1	7,495.00
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	Catalyst 4500 E-Series 48-Port PoE+ Ready	7,495.00	0.00	7,495.00 3	22,485.00
			10/100/1000(RJ45)			WS-C4510RE-S6-96V+	97,960.00
				Infras	ructure\l	High School\Data Closet A	97,960.00
Infrastructure\High School\		01	Catalyst 3560 48 10/100/1000T PoE + 4 SFP	9,495.00	0.00	9,495.00: 1	9,495.00
WS-C3560G-48PS-S	WS-C3560G-48PS-S	Cisco	+ IPB Image				
CAB-16AWG-AC	CAB-16AWG-AC	Cisco	AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00	0.00	0.00 1 500.00 2	0.00 1,000.00
GLC-SX-MM=	GLC-SX-MM=	Cisco	GE SEP, LC connector SX transcerver	300.00	0.00	WS-C3560G-48PS-S	10,495.00
WS-C3560G-48PS-S	WS-C3560G-48PS-S	Cisco	Catalyst 3560 48 10/100/1000T PoE + 4 SFP	9,495.00	0.00	9,495.00: 1	9,495.00
CAB-16AWG-AC	CAB-16AWG-AC	Cisco	+ IPB Image AC Power cord, 16AWG	0.00	0.00	0.00 1	0.00
GLC-SX-MM=	GLC-SX-MM=	Cisco	GE SFP, LC connector SX transceiver	500.00	0.00	500.00: 2	1,000.00
WS-C3560G-48PS-S	WS-C3560G-48PS-S	Cisco	Catalyst 3560 48 10/100/1000T PoE + 4 SFP	9,495.00	0.00	WS-C3560G-48PS-S 9,495.00: 1	10,495.00 9,495.00
			+ tPB Image				0.00
CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM=	Cisco	AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00	0.00	0.00 1 500.00 2	1,000.00
GLC-5X-MIN-	GLQ-QX-IIIII-	0.300				WS-C3560G-48PS-S	10,495.00
WS-C3560G-48PS-S	WS-C3560G-48PS-S	Cisco	Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image	9,495.00	0.00	9,495.00: 1	9,495.00
CAB-16AWG-AC	CAB-16AWG-AC	Cisco	AC Power cord, 16AWG	0.00	0.00	0.00 1	0.00
GLC-SX-MM=	GLC-SX-MM=	Cisco	GE SFP, LC connector SX transceiver	500.00	0.00	500.00: 2 WS-C3560G-48PS-S	1,000.00 10,495.00
WS-C3560G-48PS-S	WS-C3560G-48PS-S	Cisco	Catalyst 3560 48 10/100/1000T PoE + 4 SFP	9,495.00	0.00	9,495.00 1	9,495.00
	CAB-16AWG-AC	Cisco	+ IPB Image AC Power cord, 16AWG	0.00	0.00	0.00 1	0.00
CAB-16AWG-AC GLC-SX-MM=	GLC-SX-MM=	Cisco	GE SFP, LC connector SX transceiver	500.00	0.00	500.00 2	1,000.00
				9,495.00	0.00	WS-C3560G-48PS-S 9,495.00 1	10,495.00 9,495.00
WS-C3560G-48PS-S	WS-C3560G-48PS-S	Cisco	Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image				
CAB-16AWG-AC	CAB-16AWG-AC	Cisco	AC Power cord, 16AWG	500.00	0.00	0.00 1 500.00: 2	0.00 1,000.00
GLC-SX-MM=	GLC-SX-MM=	Cisco	GE SFP, LC connector SX transceiver	300.00	0.00	WS-C3560G-48PS-S	10,495.00
				Infras	tructure\/	High School\Data Closet B	62,970.00
Infrastructure\High School\							
WE CREEKE JOHN C		Cieco	Catalyst 3560 48 10/100/1000T PoE + 4 SEP	9.495.00	0.00	9.495.00 1	9,495.00
WS-C3560G-48PS-S	WS-C3560G-48PS-S	Cisco	Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image	9,495.00	0.00	-,	9,495.00
CAB-16AWG-AC	CAB-16AWG-AC	Cisco	+ IPB Image AC Power cord, 16AWG	0.00	0.00	9,495.00 1 0.00 1 500.00 2	9,495.00 0.00 1,000.00
			+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00		0.00 1 500.00 2 WS-C3560G-48PS-S	0.00 1,000.00 10,495.00
CAB-16AWG-AC	CAB-16AWG-AC	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver Catalyst 3560 48 10/100/1000T PoE + 4 SFP	0.00 500.00	0.00	0.00 1 500.00 2	0.00 1,000.00
CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM=	Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00 9,495.00	0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9.495.00 1	0.00 1,000.00 10,495.00 9,495.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S	Cisco Cisco	IPB Image     AC Power cord, 16AWG     GE SFP, LC connector SX transceiver     Catalyst 3560 48 10/100/1000T PoE + 4 SFP     IPB Image	0.00 500.00 9,495.00	0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9.495.00 1 0.00 1 500.00 2	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC	Cisco Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG	0.00 500.00 9,495.00 0.00 500.00	0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9.495.00 1	0.00 1,000.00 10,495.00 9,495.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S	Cisco Cisco Cisco Cisco Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image	0.00 500.00 9,495.00 0.00 500.00 9,495.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco Cisco Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP	0.00 500.00 9,495.00 0.00 500.00	0.00 0.00 0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC	Cisco Cisco Cisco Cisco Cisco Cisco Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco Cisco Cisco Cisco Cisco Cisco Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco Cisco Cisco Cisco Cisco Cisco Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= Infrastructure\High School\WS-C3560G-48PS-S	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchooNData Closet C	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 31,485.00
CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco Cisco Cisco Cisco Cisco Cisco Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchooNData Closet C	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 10,495.00 31,485.00 9,495.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School\ WS-C3560G-48PS-S  CAB-16AWG-AC	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00 1nfras	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School/Data Closet C 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S WS-C3560G-48PS-S	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 10,495.00 31,485.00 9,495.00 0.00 1,000.00 1,000.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School\ WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00 1nfras	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchooNData Closet C	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 10,495.00 31,485.00 9,495.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School\ WS-C3560G-48PS-S  CAB-16AWG-AC	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00 1nfras	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School/Data Closet C 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S WS-C3560G-48PS-S	0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 10,495.00 31,485.00 9,495.00 0.00 1,000.00 1,000.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM= WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet D	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,495.00 31,485.00 9,495.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 10,495.00 10,495.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP - IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR	0.00 500.00 9.495.00 0.00 9.495.00 0.00 100 100 100 100 100 100 100 100	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School\Data Closet C 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School\Data Closet D	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 31,485.00 9,495.00 1,000.00 1,000.00 1,000.00 1,0495.00 3,695.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921K9  ISR-CCP-EXP MEM-2900-512MB-DEF	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  CAB-16AWG-AC GLC-SX-MM=	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM,256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00 Infras 3,695.00 Included	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet D 3,695.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,495.00 31,485.00 0.00 1,000.00 1,000.00 3,495.00 3,495.00 0.00 1,000.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Elen CISCO2921WS ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IData Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Mentary CISCO2921/K9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR	0.00 500.00 9.495.00 0.00 9.495.00 0.00 100 100 100 100 100 100 100 100	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet D 3,695.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,495.00 31,485.00 1,000.00 10,495.00 3,695.00 3,695.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921K9  ISR-CCP-EXP MEM-2900-512MB-DEF	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  TORROW CAC GLC-SX-MM=  NS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 258MB Cmpact Flash for Cisco 1900, 2900,	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras 9.495.00 0.00 1000 1000 1000 1000 1000 1000	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School/Data Closet C  9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School/Data Closet D	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 0,000 0,000 0,000 0,000 0,000 0,000 0,000 0,000 0,000 0,000 0,000 0,000 0,000
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921/K9  ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IDATA Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MENTARY CISCO2921/K9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE,4 EHWIC,3 DSP,1 SM,256MB CF,512MB DRAM,IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 1nfras 9.495.00 0.00 1nfras 3,695.00 Included Included Included Included Included Included Included	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet D 3,695.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 10,000 10,495.00 31,485.00 9,495.00 10,000 10,495.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High Schoolv WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921/K9  ISR-CCP-EXP MEM-CP-256MB  PWR-2921-51-AC S29UK9-15001M	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IData Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-2921-51-AC S29UKS-15001M	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM,256MB CF,512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2901-2921 IOS UNIVERSAL	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 1nfras 9.495.00 0.00 1nfras 3,695.00 Included Included Included Included Included Included Included	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School/Data Closet C 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 31,485.00 9,495.00 1,000.00 1,000.00 1,0495.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Elen CISCO2921K9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IDATA Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-C4-256MB PWR-2921-151-AC S29UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 W3 GE, 4 EHWIC, 3 DSP, 1 SM,256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM 5-15P, 2.1m SMARTNET 8X5XNBD Cisco 2921	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras 9.495.00 0.00 500.00 Infras 1.695.00 Included Incl	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,000.00 1,495.00 31,485.00 10,495.00 3,695.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High Schools WS-C3560C-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921W9 ISR-CCP-EXP MEM-CP-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IData Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  PWS-C3560G-18PS-S CAB-16AWG-AC GLC-SX-MM=  Rentary CISCO2921/K9 ISR-CCP-EXP MEM-CP-256MB PWR-2901-51-AC S29UKB-15001M SL-29-IPB-K9 CAB-AC	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEMF 5-15P, 2.1m	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras 9.495.00 0.00 500.00 Infras 1.695.00 Included Incl	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet D 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 10,495.00 31,485.00 9,495.00 10,495.00 30,00 10,495.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Elen CISCO2921K9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IDATA Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-C4-256MB PWR-2921-151-AC S29UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM,256MB CF,512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEMF 5-15P, 2 tm SMARTINET 8X5XNBD Cisco 2921 Cisco Communication Manager or SRST- 10 seal license Cisco Survivable Remote Site Telephony	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras 9.495.00 0.00 500.00 Infras 1.695.00 Included Incl	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,000.00 1,495.00 31,485.00 10,495.00 3,695.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921W9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-291-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IDATA Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-15AWG-AC GLC-SX-MM=  PWR-2920-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 W3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM 5-15P, 2 Im SMARTNET 8X5XNBD Cisco 2921 Cisco Communication Manager or SRST- 10 seat license Cisco Survivable Remote Site Telephony License G4-channel high-density voice and video DSf	0.00 500.00 9.495.00 0.00 500.00 9,495.00 0.00 500.00 Infras 3,695.00 Included Inclu	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet D 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 10,495.00 31,485.00 9,495.00 10,495.00 30,00 10,495.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High Schools WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921W9  ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  PWS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  DATA CISCO2921/K9 ISR-CCP-EXP MEM-CP-256MB PWR-2921-51-AC S29UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64	Cisco	HPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM,256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM 5-15P, 2.1m SMARTNET 8X5XNBD Cisco 2921 Cisco Communication Manager or SRST- 10 seet license Cisco Survivable Remote Site Telephony License 64-channel high-density voice and video DSI module	0.00 500.00 9.495.00 0.00 500.00 9,495.00 0.00 500.00 Infras 3,695.00 Included Inclu	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High School\Data Closet C 0.00 1 500.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 10,495.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School\ WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921\(K\)9  ISR-CCP-EXP MEM-2900-512\(M\)B-DEF MEM-CF-256\(M\)B  PWR-2921-51-AC S29UK9-15001\(M\)SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100  FL-SRST PVDM3-64 SL-29-UC-K9	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-2921/K9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64 SL-29-UC-K9	Cisco	HPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM 5-15P, 2 1m SMARTNET 85XNBD Cisco 2921 Cisco Communication Manager or SRST-10 seat license Cisco Survivable Remote Site Telephony License G4-channel high-density voice and video DSI module Unified Communication License for Cisco 2901-2951	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras 3,695.00 Included Inclu	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolIData Closet C 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 1,000.00 1,000.00 0,000
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High Schools WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921W9  ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  PWS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  DATA CISCO2921/K9 ISR-CCP-EXP MEM-CP-256MB PWR-2921-51-AC S29UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM/5-15P, 2 1m SMARTNET 8X5XNBD Cisco 2921 Cisco Communication Manager or SRST-10 seat license Cisco Survivable Remote Site Telephony License G4-channel high-density voice and video DSf module Unified Communication License for Cisco 2901-2951 Four-port Voice Interface Card - FXO (Universal)	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00 Infras 3,695.00 Included Inclu	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolNData Closet C  9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolNData Closet D  3,695.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 0,00 0,
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School\ WS-C3560G-48PS-S  CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921\(K\)9  ISR-CCP-EXP MEM-2900-512\(M\)B-DEF MEM-CF-256\(M\)B  PWR-2921-51-AC S29UK9-15001\(M\)SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100  FL-SRST PVDM3-64 SL-29-UC-K9	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-2921/K9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64 SL-29-UC-K9	Cisco	+ IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM/5-15P, 2 1m SMARTNET 8X5XNBD Cisco 2921 Cisco Communication Manager or SRST- 10 set license Cisco Survivable Remote Site Telephony License 64-chananel high-density voice and video DSf module Unified Communication License for Cisco 2901-2951 Four-port Voice Interface Card - FXO	0.00 500.00 9,495.00 0.00 500.00 9,495.00 0.00 500.00 Infras 3,695.00 Included Inclu	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolIData Closet C 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 10,495.00 9,495.00 0.00 1,000.00 1,000.00 1,000.00 0,000
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921/K9  ISR-CCP-EXP MEM-2900-512/MB-DEF MEM-CF-256MB PWR-2921-51-AC S29U(9-15001M) SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64 SL-29-UC-K9 VIC2-4FXO	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IDATA Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  MEM-CF-256MB PWR-2921/K9 ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S28UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64 SL-29-UC-K9 VIC2-4FXO	Cisco	HPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM,256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM 5-15P, 2 Im SMARTNET 8/SXNBD Cisco 2921 Cisco Communication Manager or SRST- 10 seat license Cisco Survivable Remote Site Telephony License 64-channel high-density voice and video DSI module Unified Communication License for Cisco 2901-2951 Four-port Voice Interface Card - FXO (Universal) Four-Port Voice Interface Card - FXS and DI 2-Port 3rd Gen Multiffex Trunk Voice/WAN Ir	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras 9.495.00 0.00 500.00 Infras 0.495.00 Included Incl	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolNData Closet C  9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolNData Closet D  3,695.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 1,000.00 0,00 0,
CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\High School WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Infrastructure\Sandhill Eler CISCO2921K9  ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S29UK9-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64 SL-29-UC-K9 VIC2-4FXO VIC3-4FXS/DID	CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  Data Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  IDATA Closet D WS-C3560G-48PS-S CAB-16AWG-AC GLC-SX-MM=  ISR-CCP-EXP MEM-2900-512MB-DEF MEM-CF-256MB PWR-2921-51-AC S28UKS-15001M SL-29-IPB-K9 CAB-AC CON-SNT-2921 FL-CME-SRST-100 FL-SRST PVDM3-64 SL-29-UC-K9 VIC2-4FXO VIC3-4FXS/DID	Cisco	AC Power cord, 16AWG GE SFP, LC connector SX transceiver Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image AC Power cord, 16AWG GE SFP, LC connector SX transceiver  Cisco 2921 w/3 GE, 4 EHWIC, 3 DSP, 1 SM, 256MB CF, 512MB DRAM, IPB Cisco Config Pro Express on Router Flash 512MB DRAM for Cisco 2901-2921 ISR (Default) 256MB Compact Flash for Cisco 1900, 2900, 3900 ISR Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951 AC Power Cord (North America), C13, NEM5-15P, 2.1m SMARTNET 8X5XNBD Cisco 2921 Cisco Communication Manager or SRST-10 set license Cisco Survivable Remote Site Telephony License G4-channel high-density voice and video DSf. module Unified Communication License for Cisco 2901-2951 Four-port Voice Interface Card - FXO (Universal) Four-Port Voice Interface Card - FXS and DI	0.00 500.00 9.495.00 0.00 500.00 9.495.00 0.00 500.00 Infras 9.495.00 0.00 500.00 Infras 0.495.00 Included Incl	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S 9,495.00 1 0.00 1 500.00 2 WS-C3560G-48PS-S High SchoolData Closet C 9,495.00 1 0.00 1	0.00 1,000.00 10,495.00 9,495.00 1,000.00 10,495.00 9,495.00 1,000.00 1,000.00 1,000.00 10,495.00 31,485.00 0.00 1,000.00 0.00 0.00 0.00 0.00 0.

WS-C4510RE-S6-96V+	WS-C4510RE-S6-96V+	Cisco	4510-E Chassis, TwoWS-X4648-RJ45V+E,	30,000.00	0.00	30,000.00	30,000.00
CVR-X2-SFP	CVR-X2-SFP	Cisco	Sup6-E Cisco TwinGig Converter Module	Included	0.00	0.00 4	
FR45-ISSU-POE-LIC	FR45-ISSU-POE-LIC	Cisco	Cat4500 ISSU PoE promo. license needs dual sup+48PoEports	Included	0.00	0.00	
WS-X45-SUP6-E	WS-X45-SUP6-E	Cisco	Catalyst 4500 E-Series Sup 6-E, 2x10GE(X2) w/ Twin Gig	Included	0.00	0.00	
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	Catalyst 4500 E-Series 48-Port PoE+ Ready 10/100/1000(RJ45) U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	0.00	0.00	0.00: 4	
CAB-AC-2800W-TWLK	CAB-AC-2800W-TWLK	Cisco			0.00	3,995.00	
PWR-C45-6000ACV	PWR-C45-6000ACV	Cisco	Catalyst 4500 6000W AC dual input Power Supply (Data + PoE)	3,995.00	0.00	3,995.00	
PWR-C45-6000ACV/2	PWR-C45-6000ACV/2	Cisco	Catalyst 4500 6000W AC dual input Power Supply (Data + PoE)				
S45EESK9-12253SG	S45EESK9-12253SG	Cisco	Cisco CAT4500E IOS ENTERPRISE SERVICES SSH	9,995.00	0.00	9,995.00	
WS-X45-SUP6-E/2	WS-X45-SUP6-E/2	Cisco	Catalyst 45xxR E-Series Sup 6-E, 2x10GE(X2) w/ Twin Gig	19,995.00	0.00	19,995.00	
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	Catalyst 4500 E-Series 48-Port PoE+ Ready 10/100/1000(RJ45)	7,495.00	0.00	7,495.00	*
					Infrastru	WS-C4510RE-S6-96 acture\Sandhill Element	
rastructure\River Bluff Mic	ddle School CISCO2921/K9	Cisco	Cisco 2921 w/3 GE,4 EHWIC,3 DSP,1	3,695.00	0.00	3,695.00	1 3,695.00
CISCO2921/K9	ISR-CCP-EXP	Cisco	SM,256MB CF,512MB DRAM,IPB Cisco Config Pro Express on Router Flash	Included	0.00	0.00:	
ISR-CCP-EXP MEM-2900-512MB-DEF	MEM-2900-512MB-DEF	Cisco	512MB DRAM for Cisco 2901-2921 ISR	Included	0.00	0.00	
MEM-CF-256MB	MEM-CF-256MB	Cisco	(Default) 256MB Compact Flash for Cisco 1900, 2900,	Included	0.00	0.00	0.00
PWR-2921-51-AC	PWR-2921-51-AC	Cisco	3900 ISR Cisco 2921/2951 AC Power Supply	Included	0.00	0.00	
\$29UK9-15001M	S29UK9-15001M	Cisco Cisco	Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951	Included Included	0.00	0.00	
SL-29-IPB-K9 CAB-AC	SL-29-IPB-K9 CAB-AC	Cisco	AC Power Cord (North America), C13, NEMA	0.00	0.00	0.00	
CON-SNT-2921	CON-SNT-2921	Cisco	5-15P, 2.1m SMARTNET 8X5XNBD Cisco 2921	550.00	0.00	550.00	1 550.00
FL-CME-SRST-100	FL-CME-SRST-100	Cisco	Cisco Communication Manager or SRST- 100 seat license	2,000.00	0.00	2,000.00	2,000.00
FL-SRST	FL-SRST	Cisco	Cisco Survivable Remote Site Telephony	0.00	0.00	0.00	1 0.00
PVDM3-64	PVDM3-64	Cisco	License 64-channel high-density voice and video DSP	3,200.00	0.00	3,200.00	6,400.00
SL-29-UC-K9	SL-29-UC-K9	Cisco	module Unified Communication License for Cisco	700.00	0.00	700.00	1 700.00
VIC2-4FXO	VIC2-4FXO	Cisco	2901-2951 Four-port Voice Interface Card - FXO	800.00	0.00	800.00	1 800.00
VIC3-4FXS/DID	VIC3-4FXS/DID	Cisco	(Universal) Four-Port Voice Interface Card - FXS and DID	800.00	0.00	800.00	2 1,600.00
						CISCO2921/	
WS-C4510RE-S6-96V+	WS-C4510RE-S6-96V+	Cisco	4510-E Chassis, TwoWS-X4648-RJ45V+E, Sup6-E	30,000.00	0.00	30,000.00	
CVR-X2-SFP	CVR-X2-SFP	Cisco	Cisco TwinGig Converter Module	Included	0.00	0.00: 4	
FR45-ISSU-POE-LIC	FR45-ISSU-POE-LIC	Cisco	Cat4500 ISSU PoE promo. license needs dual sup+48PoEports				
WS-X45-SUP6-E	WS-X45-SUP6-E	Cisco	Catalyst 4500 E-Series Sup 6-E, 2x10GE(X2) w/ Twin Gig	Included	0.00		
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	Catalyst 4500 E-Series 48-Port PoE+ Ready 10/100/1000(RJ45)	Included	0.00	0.00- 2	
CAB-AC-2800W-TWLK	CAB-AC-2800W-TWLK	Cisco	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	0.00	0.00	0.00	0.00
PWR-C45-6000ACV	PWR-C45-6000ACV	Cisco	Catalyst 4500 6000W AC dual input Power Supply (Data + PoE)	3,995.00	0.00	3,995.00	3,995.00
PWR-C45-6000ACV/2	PWR-C45-6000ACV/2	Cisco	Catalyst 4500 6000W AC dual input Power	3,995.00	0.00	3,995.00	3,995.00
\$45EE\$K9-12253\$G	S45EESK9-12253SG	Cisco	Supply (Data + PoE) Cisco CAT4500E IOS ENTERPRISE	9,995.00	0.00	9,995.00	9,995.00
WS-X45-SUP6-E/2	WS-X45-SUP6-E/2	Cisco	SERVICES SSH Catalyst 45xxR E-Series Sup 6-E,	19,995.00	0.00	19,995.00	19,995.0
WS-X4548-RJ45V+	WS-X4548-RJ45V+	Cisco	2x10GE(X2) w/ Twin Gig Catalyst 4500 PoE+ Ready 10/100/1000, 48-	7,495.00	0.00	7,495.00	2 14,990.0
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	Port (RJ45) Catalyst 4500 E-Series 48-Port PoE+ Ready	7,495.00	0.00	7,495.00	22,485.0
	-		10/100/1000(RJ45)			WS-C4510RE-S6-96	
				Infra	structure	NRiver Bluff Middle Sch	ool 121,200.00
rastructure\Fox Prairie CISCO2921/K9	CISCO2921/K9	Cisco	Cisco 2921 w/3 GE,4 EHWIC,3 DSP,1 SM,256MB CF,512MB DRAM,IPB	3,695.00	0.00	3,695.00	3,695.0
ISR-CCP-EXP	ISR-CCP-EXP	Cisco	Cisco Config Pro Express on Router Flash	Included	0.00	0.00	
MEM-2900-512MB-DEF	MEM-2900-512MB-DEF	Cisco	512MB DRAM for Cisco 2901-2921 ISR (Default)	Included			
MEM-CF-256MB	MEM-CF-256MB	Cisco	256MB Compact Flash for Cisco 1900, 2900, 3900 ISR	Included	0.00	0.00	
PWR-2921-51-AC	PWR-2921-51-AC S29UK9-15001M	Cisco Cisco	Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL	Included Included	0.00	0.00	
\$29UK9-15001M \$L-29-IPB-K9	S290K9-15001M SL-29-IPB-K9	Cisco	IP Base License for Cisco 2901-2951	Included	0.00	0.00	1 0.00
CAB-AC	CAB-AC	Cisco	AC Power Cord (North America), C13, NEMA 5-15P, 2.1m	0.00	0.00	0.00	
CON-SNT-2921 FL-CME-SRST-100	CON-SNT-2921 FL-CME-SRST-100	Cisco Cisco	SMARTNET 8X5XNBD Cisco 2921 Cisco Communication Manager or SRST- 100	550.00 2,000.00	0.00	550.00 2,000.00	
			seat license Cisco Survivable Remote Site Telephony	0.00	0.00	0.00	
FL-SRST	FL-SRST	Cisco	License	3,200.00		3,200.00	
PVDM3-64	PVDM3-64	Cisco	64-channel high-density voice and video DSP module		0.00		
SL-29-UC-K9	SL-29-UC-K9	Cisco	Unified Communication License for Cisco 2901-2951	700.00	0.00	700.00	
VIC2-4FXO	VIC2-4FXO	Cisco	Four-port Voice Interface Card - FXO (Universal)	800.00	0.00	800.00	
VIC3-4FXS/DID	VIC3-4FXS/DID	Cisco	Four-Port Voice Interface Card - FXS and DID	800.00	0.00	800.00	
VWIC2-2MFT-T1/E1	VWIC2-2MFT-T1/E1	Cisco	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1	2.000.00	0.00	2,000.00	
	WO 00750V (075 0	Ciasa	Catalyst 3750X 48 Port Full PoE IP Base	14,000.00	0.00	CISCO2921 14,000.00	/K9 17,745.0 1 14,000.0
HID GOOGLE LODE C	WS-C3750X-48PF-S	Cisco			0.00		1 0.0
WS-C3750X-48PF-S C3KX-PWR-1100WAC	C3KX-PWR-1100WAC	Cisco	Catalyst 3K-X 1100W AC Power Supply	Included			
		Cisco Cisco	Catalyst 3K-X 1100W AC Power Supply Catalyst 3750X Stack Power Cable 30 CM Clsco StackWise 50CM Stacking Cable	Included	0.00	0.00	1 0.0

C3KX-NM-10G	C3KX-NM-10G	Cisco	Catalyst 3K-X 10G Network Module option PID.	2,500.00	0.00	2,500.00	1	2,500.00
CAB-3KX-AC	CAB-3KX-AC	Cisco	AC Power Cord for Catalyst 3K-X (North America)	0.00	0.00	0.00	1	0.00
			,			WS-C3750X-48	PF-S	16,500.00
WS-C3750X-48PF-S	WS-C3750X-48PF-S	Cisco	Catalyst 3750X 48 Port Full PoE IP Base	14,000.00	0.00	14,000.00	1 .	14,000.00
C3KX-PWR-1100WAC	C3KX-PWR-1100WAC	Cisco	Catalyst 3K-X 1100W AC Power Supply	Included Included	0.00	0.00	1	0.00
CAB-SPWR-30CM CAB-STACK-50CM	CAB-SPWR-30CM CAB-STACK-50CM	Cisco Cisco	Catalyst 3750X Stack Power Cable 30 CM Cisco StackWise 50CM Stacking Cable	Included	0.00	0.00	1	0.00
S375XVK9T-12253SE	S375XVK9T-12253SE	Cisco	CAT 3750X IOS UNIVERSAL WITH WEB	Included	0.00	0.00	1	0.00
C3KX-NM-10G	C3KX-NM-10G	Cisco	BASE DEV MGR Catalyst 3K-X 10G Network Module option PID	2,500.00	0.00	2,500.00	1	2,500.00
C3KX-NW-10G	C3KX-NM-10G							
CAB-3KX-AC	CAB-3KX-AC	Cisco	AC Power Cord for Catalyst 3K-X (North America)	0.00	0.00	0.00 WS-C3750X-48	1	16,500.00
						Infrastructure\Fox P		50,745.00
Infrastructure\Kegonsa Ele	ementary						-	
CISCO2921/K9	CISCO2921/K9	Cisco	Cisco 2921 w/3 GE,4 EHWIC,3 DSP,1	3,695.00	0.00	3,695.00	1	3,695.00
ISR-CCP-EXP	ISR-CCP-EXP	Cisco	SM,256MB CF,512MB DRAM,IPB Cisco Config Pro Express on Router Flash	included	0.00	0.00	1	0.00
MEM-2900-512MB-DEF	MEM-2900-512M8-DEF	Cisco	512MB DRAM for Cisco 2901-2921 ISR	Included	0.00	0.00	1	0.00
MEM-CF-256MB	MEM-CF-256MB	Cisco	(Default) 256MB Compact Flash for Cisco 1900, 2900,	included	0.00	0.00	1	0.00
MCM-CF-230MD	WEW-CL-530WO	Cisco	3900 ISR					
PWR-2921-51-AC	PWR-2921-51-AC	Cisco	Cisco 2921/2951 AC Power Supply	Included	0.00	0.00	1	0.00
S29UK9-15001M SL-29-IPB-K9	\$29UK9-15001M \$L-29-IPB-K9	Cisco Cisco	Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951	Included	0.00	0.00	1	0.00
CAB-AC	CAB-AC	Cisco	AC Power Cord (North America), C13, NEMA	0.00	0.00	0.00	1	0.00
			5-15P, 2,1m					550.00
CON-SNT-2921	CON-SNT-2921	Cisco	SMARTNET 8X5XNBD Cisco 2921	550.00	0.00	550.00 2,000.00	1	550.00 2,000.00
FL-CME-SRST-100	FL-CME-SRST-100	Cisco	Cisco Communication Manager or SRST- 100 seat license	2,000.00	0.00	2,000.00		2,000.00
FL-SRST	FL-SRST	Cisco	Cisco Survivable Remote Site Telephony	0.00	0.00	0.00	1	0.00
PVDM3-64	PVDM3-64	Cisco	License 64-channel high-density voice and video DSP	3,200.00	0.00	3,200.00	2	6,400.00
PVDM3-64	PVDM3-64	Cisco	module				-	
SL-29-UC-K9	SL-29-UC-K9	Cisco	Unified Communication License for Cisco 2901-2951	700.00	0.00	700.00	1 .	700.00
VIC2-4FXO	VIC2-4FXO	Cisco	Four-port Voice Interface Card - FXO	800.00	0.00	800.00	1	800.00
			(Universal)	000.00	0.00	.000.00	2	1,600.00
VIC3-4FXS/DID	VIC3-4FXS/DID	Cisco	Four-Port Voice Interface Card - FXS and DID	800.00	0.00	800.00	2	1,000.00
VWIC3-2MFT-T1/E1	VWIC3-2MFT-T1/E1	Cisco	2-Port 3rd Gen Multiflex Trunk Voice/WAN Int.	2,000.00	0.00	2,000.00	1 -	2,000.00
			Card - T1/E1			CISCO292	21/K9	17,745.00
WS-C4510RE-S6-96V+	WS-C4510RE-\$6-96V+	Cisco	4510-E Chassis, TwoWS-X4648-RJ45V+E,	30,000.00	0.00	30,000.00	1	30,000.00
			Sup6-E			0.00		0.00
CVR-X2-SFP	CVR-X2-SFP FR45-ISSU-POE-LIC	Cisco	Cisco TwinGig Converter Module Cat4500 ISSU PoE promo. license needs dual	Included	0.00	0.00	4	0.00
FR45-ISSU-POE-LIC	FR45-1550-POE-LIG	Cisco	sup+48PoEports	ilicidaed				
WS-X45-SUP6-E	WS-X45-SUP6-E	Cisco	Catalyst 4500 E-Series Sup 6-E, 2x10GE(X2) w/ Twin Gig	Included	0.00	0.00	1	0.00
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	 Catalyst 4500 E-Series 48-Port PoE+ Ready	Included	0.00	0.00	2	0.00
			10/100/1000(RJ45)					0.00
CAB-AC-2800W-TWLK	CAB-AC-2800W-TWLK	Cisco	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	0.00	0.00	0.00	4	0.00
PWR-C45-6000ACV	PWR-C45-6000ACV	Cisco	Catalyst 4500 6000W AC dual input Power	3,995.00	0.00	3,995.00	1	3,995.00
	CHAID O 4E CODO A CAUD	Ciano	Supply (Data + PoE) Catalyst 4500 6000W AC duel input Power	3,995.00	0.00	3,995.00	1	3,995.00
PWR-C45-6000ACV/2	PWR-C45-6000ACV/2	Cisco	Catalyst 4500 6000W AC dual input Power Supply (Data + PoE)	3,995.00	0.00	3,995.00		9,050.00
\$45EE\$K9-12253\$G	S45EESK9-12253SG	Cisco	Cisco CAT4500E IOS ENTERPRISE	9,995.00	0.00	9,995.00	1	9,995.00
WS-X45-SUP6-E/2	WS-X45-SUP6-E/2	Cisco	SERVICES SSH Catalyst 45xxR E-Series Sup 6-E,	19,995.00	0.00	19,995.00	1	19,995.00
110-74-001 0-272		0.000	2x10GE(X2) w/ Twin Gig				_	
WS-X4648-RJ45V+E	WS-X4648-RJ45V+E	Cisco	Catalyst 4500 E-Series 48-Port PoE+ Ready 10/100/1000(RJ45)	7,495.00	0.00	7,495.00	3	22,485.00
			10/100/1000(1045)			WS-C4510RE-S6-	96V+	90,465.00
					Infrastru	cture\Kegonsa Eleme	ntary	108,210.00
Infrastructure\Administrati	ve Centre		0	2 606 00	0.00	3,695.00		3,695.00
CISCO2921/K9	CISCO2921/K9	Cisco	Cisco 2921 w/3 GE,4 EHWIC,3 DSP,1 SM,256MB CF,512MB DRAM,IPB	3,695.00	0.00	3,095.00	'	3,093.00
ISR-CCP-EXP	ISR-CCP-EXP	Cisco	Cisco Config Pro Express on Router Flash	Included	0.00	0.00	1	0.00
MEM-2900-512MB-DEF	MEM-2900-512MB-DEF	Cisco	512MB DRAM for Cisco 2901-2921 ISR (Default)	Included	0.00	0.00	1	0.00
MEM-CF-256MB	MEM-CF-256MB	Cisco	256MB Compact Flash for Cisco 1900, 2900,	Included	0.00	0.00	1	0.00
			3900 ISR					0.00
PWR-2921-51-AC	PWR-2921-51-AC	Cisco	Cisco 2921/2951 AC Power Supply Cisco 2901-2921 IOS UNIVERSAL	Included Included	0.00	0.00	1	0.00
S29UK9-15001M SL-29-IPB-K9	\$29UK9-15001M \$L-29-IPB-K9	Cisco	IP Base License for Cisco 2901-2951	Included	0.00	0.00	1	0.00
CAB-AC	CAB-AC	Cisco	AC Power Cord (North America), C13, NEMA	0.00	0.00	0.00	1	0.00
			5-15P, 2.1m	EEO 00	0.00	550.00	1	550.00
CON-SNT-2921 PVDM3-64	CON-SNT-2921 PVDM3-64	Cisco	SMARTNET 8X5XNBD Cisco 2921 64-channel high-density voice and video DSP	550.00 3,200.00	0.00	3,200.00	2	6,400.00
P-VDWI3-04	F-VDWI3-04	Cisco	module					
SL-29-UC-K9	SL-29-UC-K9	Cisco	Unified Communication License for Cisco 2901-2951	700.00	0.00	700.00	1	700.00
VIC2-4FXO	VIC2-4FXO	Cisco	Four-port Voice Interface Card - FXO	800.00	0.00	800.00	1	800.00
			(Universal)		0.00	0.000.00	1	2,000.00
VWIC2-2MFT-T1/E1	VWIC2-2MFT-T1/E1	Cisco	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1	2,000.00	0.00	2,000.00	'	2,000.00
						CISCO29		14,145.00
VG224	VG224	Cisco	24 Port Voice over IP analog phone gateway	5,395.00	0.00	5,395.00	1	5,395.00
MEM-224-1X128D-U	MEM-224-1X128D-U	Cisco	128MB DRAM Memory for VG224 (Factory	Included	0.00	0.00:	1	0.00
			Upgrade)	h-4-4-	0.00	0.00	1	0.00
MEM-224-1X64F-U	MEM-224-1X64F-U	Cisco	64MB Flash Memory for VG224 (Factory Upgrade)	Included	0.00	0.00	1	
SVGVG-12422T	SVGVG-12422T	Cisco	Cisco VG200 Series IP SUBSET/VOICE	Included	0.00	0.00	1	0.00
CAB-AC	CAB-AC	Cisco	AC Power Cord (North America), C13, NEMA	0.00	0.00	0.00	1	0.00
CON-SNT-VG224	CON-SNT-VG224	Cisco	5-15P, 2.1m SMARTNET 8X5XNBD 24 Port Voice over 1	432.00	0.00	432.00	1	432.00
QQ11-Q111*YG224	3011-0111-70224	0.300				V	G224	5,827.00
					Infrastru	cture\Administrative C	entre	19,972.00
Wireless	AID OTESON SA	Ciasa	5508 Series Controller for up to 50 APs	22,495.00	0.00	22,495.00	1	22,495.00
AIR-CT5508-50-K9 LIC-CT5508-50	AIR-CT5508-50-K9 LIC-CT5508-50	Cisco	50 AP Base license	Included	0.00	0.00	1	0.00
LIC-CT5508-BASE	LIC-CT5508-BASE	Cisco	Base Software License	Included	0.00	0.00	1	0.00

AIR-PWR-5500-AC							
	AIR-PWR-5500-AC	Cisco	Cisco 5500 Series Wireless Controller Redundant Power Supply	1,495.00	0.00	1,495.00 1	1,495.00
AIR-PWR-CORD-NA CON-SNT-CT0850	AIR-PWR-CORD-NA CON-SNT-CT0850	Cisco Cisco	AIR Line Cord North America SMARTNET 8X5XNBD 5508 Series Controll	0.00 1,800.00	0.00	0.00 2 1,800.00 1	0.00 1,800.00
GLC-T=	GLC-T=	Cisco	1000BASE-T SFP	395.00	0.00	395.00 2	790.00
SWC5500K9-70	SWC5500K9-70	Cisco	Cisco Unified Wireless Controller SW Release 7.0	0.00	0.00	0.00 1	0.00
AIR-LAP1142N-A-K9	AIR-LAP1142N-A-K9	Cisco	802.11a/g/n Fixed Unified AP; Int Ant; A Reg Domain	995.00	0.00	AIR-CT5508-50-K9 995.00 60	26,580.00 59,700.00
AIR-AP-BRACKET-2	AIR-AP-BRACKET-2	Cisco	1040/1140/1260/3500 Universal Mounting Bracket	0.00	0.00	0.00 60	0.00
AIR-AP-T-RAIL-F	AIR-AP-T-RAIL-F	Cisco	Ceiling Grid Clip for Aironet APs - Flush Mount	0.00	0.00	0.00 60	0.00
\$114RK9W-12421JA	\$114RK9W-12421JA	Cisco	Cisco 1140 Series IOS WIRELESS LAN LWAPP RECOVERY	0.00	0.00	0.00 60	0.00
			LWAPP RECOVERY			AIR-LAP1142N-A-K9 Wireless	59,700.00 86,280.00
dware Spares CISCO2921/K9	CISCO2921/K9	Cisco	Cisco 2921 w/3 GE,4 EHWIC,3 DSP,1	3,695.00	0.00	3,695.00 1	3,695.00
ISR-CCP-EXP	ISR-CCP-EXP	Cisco	SM,256MB CF,512MB DRAM,IPB Cisco Config Pro Express on Router Flash	Included	0.00	0.00 1	0.00
MEM-2900-512MB-DEF	MEM-2900-512MB-DEF	Cisco	512MB DRAM for Cisco 2901-2921 ISR (Default)	Included	0.00	0.00 1	0.00
MEM-CF-256MB	MEM-CF-256MB	Cisco	256MB Compact Flash for Cisco 1900, 2900, 3900 ISR	Included	0.00	0.00 1	0.00
PWR-2921-51-AC	PWR-2921-51-AC	Cisco	Cisco 2921/2951 AC Power Supply	Included	0.00	0.00 1	0.00
S29UK9-15001M SL-29-IPB-K9	S29UK9-15001M SL-29-IPB-K9	Cisco	Cisco 2901-2921 IOS UNIVERSAL IP Base License for Cisco 2901-2951	Included	0.00	0.00 1	0.00
CAB-AC	CAB-AC	Cisco	AC Power Cord (North America), C13, NEMA 5-15P, 2.1m	0.00	0.00	0.00 1	0.00
VIC2-4FXO	VIC2-4FXO	Cisco	Four-port Voice Interface Card - FXO (Universal)	800.00	0.00	800.00 1	800.00
VIC3-4FXS/DID	VIC3-4FXS/DID	Cisco	Four-Port Voice Interface Card - FXS and DID	800.00	0.00	800.00 1	800.00
VWIC2-2MFT-T1/E1	VWIC2-2MFT-T1/E1	Cisco	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int, Card - T1/E1	2,000.00	0.00	2,000.00 1	2,000.00
WR-C45-6000ACV=	PWR-C45-6000ACV=	Cisco	Catalyst 4500 6000W AC dual input Power	3,995.00	0.00	CISCO2921/K9 3,995.00: 1	7,295.00 3,995.00
WR-C45-6000ACV= VS-X4648-RJ45V+E=	WS-X4648-RJ45V+E=	Cisco	Supply (Data + PoE) Catalyst 4500 E-Series 48-Port PoE+ Ready	7,495.00	0.00	7,495.00 1	7,495.00
-X-4040-RJ45V*E=		-1000	10/100/1000(RJ45)	.,		Hardware Spares	18,785.00
Firewall	ACAESIA CEC DI IN VA	Cisco	ASA 5510 Security Plus Appl with SW, HA,	4,495.00	0.00	4,495.00 1	4,495.00
SA5510-SEC-BUN-K9	ASA5510-SEC-BUN-K9 ASA-VPN-CLNT-K9	Cisco	2GE+3FE, 3DES/AES Cisco VPN Client Software (Windows, Solaris,	Included	0.00	0.00 1	0.00
ASA-VPN-CLNT-K9 ASA5500-ENCR-K9	ASA5500-ENCR-K9	Cisco	Linux, Mac) ASA 5500 Strong Encryption License	Included	0.00	0.00 1	0.00
ASA5510-SEC-PL	ASA5510-SEC-PL	Cisco	(3DES/AES) ASA 5510 Security Plus License w/ HA, GE,	Included	0.00	0.00 1	0.00
			more VLANs + conns	Included	0.00	0.00 1	0.00
SF-ASA-8.2-K8 SSM-BLANK	SF-ASA-8.2-K8 SSM-BLANK	Cisco Cisco	ASA 5500 Series Software v8.2 ASA/IPS SSM Slot Cover	Included	0.00	0.00	0.00
CAB-AC	CAB-AC	Cisco	AC Power Cord (North America), C13, NEMA 5-15P, 2.1m	0.00	0.00	0.00 1	0.00
CON-SNT-AS1SBK9	CON-SNT-AS1SBK9	Cisco	SMARTNET 8X5XNBD ASA5510 Sec+ w/150 VPN Prs,5FE,3DES/AES	539.00	0.00	539.00 1	539.00
SA5510-SEC-PL=	ASA5510-SEC-PL=	Cisco	ASA 5510 Security Plus License w/ HA, GE,	1,200.00	0.00	ASA5510-SEC-BUN-K9 1,200.00 1	5,034.00 1,200.00
			more VLANs + conns			ASA Firewall	6,234.00
					0.00	40.500.00	
100 0010111 1/001	UCC COMMINODA	Cinco	Para Matal LICS C210M1 Sur 2vE5540	16 500 00:			33.000.00
	UCS-C210M1-VCD1	Cisco	Bare Metal UCS C210M1 Svr., 2xE5540 CPU, 12GB RAM,6x146GB HDD	16,500.00		16,500.00 2	
C-CAB-N5K6A-NA	UCS-C210M1-VCD1 UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A	Cisco Cisco	CPU,12GB RAM,6x146GB HDD Power Cord, 200/240V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr	0.00 2,980.00	0.00	0.00 4 2,980.00	0.00
IC-CAB-N5K6A-NA MW-UC-STD-K9-1A	UC-CAB-N5K6A-NA	Cisco	CPU,12GB RAM,6x146GB HDD Power Cord, 200/240V 6A North America	0.00	0.00 0.00 0.00	0.00 4 2,980.00 2 724.00 2	33,000.00 0.00 5,960.00 1,448.00
UC-CAB-N5K6A-NA MW-UC-STD-K9-1A CON-UCS7-UCSC210M	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A	Cisco Cisco	CPU,12GB RAM,6x146GB HDD Power Cord, 2007;40V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x7x4 (Onsite) - Support (UCS7) UCS-	0.00 2,980.00	0.00 0.00	0.00 4 2,980.00 2 724.00 2 875.00 1	0.00 5,960.00 1,448.00 875.00
IC-CAB-N5K6A-NA MW-UC-STD-K9-1A :ON-UCS7-UCSC210M :ON-ISV1-UCSTD1A	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A	Cisco Cisco	CPU,12GB RAM, &t.46GB HDD Power Cord, 200/240V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x7x4 (Onstite) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1yr sup Cisco UC Phone 7965, Gig Ethernet, Color,	0.00 2,980.00 724.00 875.00	0.00 0.00 0.00	0.00 4 2,980.00 2 724.00 2	0.00 5,960.00 1,448.00 875.00 41,283.00
JCS-C210M1-VCD1  JC-CAB-N5K6A-NA  MW-UC-STD-K9-1A  CON-UCS7-UCSC210M  CON-ISV1-UCSTD1A	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A CP-7965G=	Cisco Cisco Cisco	CPU,12GB RAM, &x14GGB HDD Power Cord, 200/240V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 2xt/xx4 (Cnstile) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware vSphereESXi 4.0 Std,2 CPU,1yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare	0.00 2,980.00 724.00 875.00	0.00 0.00 0.00 0.00	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A 965G= 916= INGLFOOTSTAND=	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND=	Cisco Cisco Cisco Cisco Cisco Cisco Cisco Cisco	CPU,12GB RAM, &x146GB HDD Power Cord, 200240V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x/x4 (orstitle) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand &x for single 7914, 7915, or 7916	0.00 2,980.00 724.00 875.00 595.00 495.00 33.00	0.00 0.00 0.00 0.00 0.00	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 6,435.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A 965G= 916= INGLFOOTSTAND= 942G=	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G=	Cisco Cisco Cisco Cisco Cisco Cisco	CPU,12GB RAM, &x146GB HDD Power Cord, 200249V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Onstale) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kn for single 7914, 7915, or 7916 Cisco UC Phone 7942, spare Cisco UC Phone 7942, spare	0.00 2,980.00 724.00 875.00 595.00 495.00 33.00 370.00	0.00 0.00 0.00 0.00 0.00	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 6,435.00 429.00 139,120.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A 965G= 916= INGLFOOTSTAND= 942C= 945G=	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G= CP-7945G=	Cisco	CPU,12GB RAM, &x146GB HDD Power Cord, 200249V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x/x4 (Dristle) - Support (UCS7) UCS- C210M1-VCD2 ISY 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 7942, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900	0.00 2,980.00 724.00 875.00 595.00 495.00 33.00	0.00 0.00 0.00 0.00 0.00 0.00	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 6,435.00 429.00 139.120.00 22,320.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A 965G= 916= INGLFOOTSTAND= 942C= 945G= CKNGWALLMNT2=	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G=	Cisco	CPU, 12GB RAM, &x146GB HDD Power Cort, 2002490 (& North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x7x4 (Onsite) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware vSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kir for single 7914, 7915, or 7916 Cisco UC Phone 7945, Gig Ethernet, Color, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare	0.00 2,980.00 724.00 875.00 595.00 495.00 33.00 370.00 465.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 585.00
C-CAB-NSK6A-NA MW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  P965G= P916= SINGLFOOTSTAND= P942G= P945G= CKNGWALLMNT2= FWR-CUBE-3=	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7945G= CP-P45G= CP-UKNGWALLMNT2= CP-PWR-CUBE-3= CUWL-LIC	Cisco	CPU,12GB RAM, &x146GB HDD Power Cort, 200/240V 6A, North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x7x4 (Onsite) - Support (UCS7) UCS- C210M1-VCD2 ISV 24x7 VMware vSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footsband kir for single 7914, 7915, or 7916 Cisco UC Phone 7945, Gig Ethernet, Color, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones	0.00 2.980.00 724.00 875.00 595.00 495.00 33.00 370.00 465.00 31.00 45.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 744.00 585.00 177,368.00
CC-CAB-NSK6A-NA MW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CON-ISV1-UCSTD1A	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1	Cisco	CPU,12GB RAM, &x146GB HDD Power Cord, 2002;490 (6 A North America VMware ESxi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Onstale) - Support (UCS7) UCS- C210M1-VCD2 ISY 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kat for single 7914, 7915, or 7916 Cisco UC Phone 7942, spare Cisco UC Phone 7965, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Uchied IP Phone Power Cube CUWL Top Level Unifled Workspace Licensing STD, 1 User GowtEdu 1-Yr UWL, STD UCSS for GowTedu Only	0.00 2.980.00 724.00 875.00 595.00 495.00 330.00 370.00 465.00 31.00 45.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 35.00 440	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 6,435.00 139,120.00 22,320.00 744.00 585.00 177,368.00 0143.000.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  9965G= 916= INGLFOOTSTAND= 942C= 945G= CKNGWALLMNT2= WR-CUBE-3= L-LIC IVUL-STD-SLED	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G= CP-7945G= CP-LCKNGWALLIMT2= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UGSS-UWL-STD1 ANLG-DEV-UWL	Cisco	CPU,12GB RAM, &x146GB HDD Power Cord, 2002490 & North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x/x4 (Dristle) - Support (UCS7) UCS- C210M1-VCD2 ISY 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 1942, spare Cisco UC Phone 7942, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unified IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User Gowtedu 1-Yt UWL STD UCSS for GowTedu Only Analog, non-app device add-on for UWL UCSS for UCM analog user for One Year - 1	0,00 2,980,00 724,00 875,00 495,00 33,00 370,00 465,00 31,00 45,00 0,00 325,00 35,00 40,00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 585.00 17,368.00 143,000.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= INGLFOOTSTAND= 945G= CKNGWALLMNT2= WR-CUBE-3= L-LIC IVIL-STD-SLED S-UWL-STD1 I-DEV-UWL	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G= CP-7945G= CP-LCKNGWALLMNT2= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANLG-DEV-UWL UCSS-ANLG-1-1	Cisco	CPU, 12GB RAM, &x146GB HDD Power Cord, 2002490 & North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Onstitle) - Support (UCS7) UCS- C210M1-VCD2 ISY 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 7942, spare Cisco UC Phone 7942, spare Cisco UC Phone 7942, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unified IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User Govt/Edu 1-Yr UWL STD UCSS for Govr/Edu Only Analog, non-app device add-on for UWL UCSS for UCW analog user for One Year - 1 user Unified Personal Communicator 8.x for CUWL	0.00 2.980.00 724.00 875.00 595.00 33.00 370.00 465.00 31.00 45.00 0.00 325.00 35.00 40.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139.120.00 22,320.00 744.00 585.00 177,368.00 177,368.00 143,000.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= 916= 916G= 945G= 945G= CKNGWALLMNT2= WR-CUBE-3= IL-LIC JWL-STD-SLED S-UWL-STD1 -DEV-UWL S-ANLG-1-1 8-CLIENT-UWL -7845-71-UWL	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-916= CP-SINGLE-OOTSTAND= CP-7942G= CP-7945G= CP-LCKNGWALLMNT2= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANLG-DEV-UWL UCSS-ANLG-1-1 UPCS-CABLED-1-UWL UCM-7845-71-UWL	Cisco	CPU,12GB RAM, &x146GB HDD Power Cord, 2002490 & Anoth America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Onstitle) - Support (UCS7) UCS- C210M1-VCD2 ISY 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 7942, spare Cisco UC Phone 7942, spare Cisco UC Phone 7942, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unified IP Phone Power Cube CUMI, Top Level Unified Workspace Licensing STD, 1 User Govt/Edu 1-Yr UMI, STD UCSS for Govt/Edu Only Analog, non-app device add-on for UMI, UCSS for UCM analog user for One Year - 1 user Unified Personal Communicator 8.x for CUWL only CUCM, 7.1 7845 for CUWL only	0.00 2.980.00 724.00 875.00 595.00 495.00 33.00 370.00 465.00 31.00 0.00 325.00 40.00 3.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 6,435.00 22,320.00 744.00 177,368.00 0177,368.00 0143,000.00 15,400.00 156.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= 916= 916F- 916F- 945G= CKNGWALLMNT2= WR-CUBE-3= /L-LIC JWL-STD-SLED S-UWL-STD1 S-DEV-UWL 7845-71-UWL 7845-71-UWL 7845-80	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCST-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLE-OOTSTAND= CP-7942G= CP-7945G= CP-LCKNGWALLMNT2= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANLG-DEV-UWL UCSS-ANLG-1-1 UPCS-CABLED-1-UWL UCM-7845-71-UWL UMC-7845-71-UWL UMC-7845-71-UWL	Cisco	CPU, 12GB RAM, &x146GB HDD Power Cord, 2002490 &A North America VMware ESxi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Onstalle) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kii for single 7914, 7915, or 7916 Cisco UC Phone 7942, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unifed IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User Gov/Edu 1-Yr UWL, STD UCSS for Gov/Edu UNSF (1 CVM) UCSS for UCM analog user for One Year - 1 user UCM 7.1 7845 for CUWL only IME 8.0 7845 One Unity Connection 8.x User - All user	0.00 2.980.00 724.00 875.00  595.00 495.00 33.00 370.00 465.00 31.00 45.00 0.00 325.00 40.00 3.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 495.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52 0.00 440 0.00 1	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 585.00 17,368.00 0.00 143,000.00 2,080.00 156.00 0.00 0.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= 916= 916F- 916F- 945G= 945G= VK-CUBE-3= /L-LIC  JWL-STD-SLED S-JWL-STD1 G-DEV-UWL 7845-71-UWL 7845-71-UWL 7845-71-UWL 7845-80 YCN8-WWRAE	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCST-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G= CP-7945G= CP-LCKNGWALLMNT2= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANLG-DEV-UWL UCSS-ANLG-1-1 UPCS-CLIENT-UWL UCM-7845-71-UWL IME-7845-80 UNITYCNS-USR UNITYCNS-USR	Cisco	CPU, 12GB RAM, &x146GB HDD Power Cord, 2002490 &A North America VMware ESxi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Onstalle) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std, 2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kii for single 7914, 7915, or 7916 Cisco UC Phone 7942, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unified IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User Gov/Edu 1-Yr UWL, STD UCSS for Gov/Edu Only Analog, non-app device add-on for UWL UCSS for UCM analog user for One Year - 1 user Unified Personal Communicator 8 x for CUWL only IME 8.0 7845 One Unity Connection 8.x User - All user Features Unity Connection 8.x User - All user Features Unity Connection 8.x for VMWare	0.00 2.980.00 724.00 875.00 495.00 33.00 370.00 465.00 31.00 45.00 35.00 40.00 3.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52 0.00 440 0.00 1 0.00 1	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 585.00 177,368.00 10,00 143,000.00 1,56.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= INGLFOOTSTAND= 945G= CKNGWALLMNT2= WR-CUBE-3= L-LIC JWL-STD-SLED S-UWL-STD1 S-OEV-UWL S-PA45-71-UWL 7845-80 YCN8-UNB-R YCN8-WMWARE 80-UWL	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCST-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G= CP-7945G= CP-LCKNGWALLMNT2= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANLG-DEV-UWL UCSS-ANLG-1-1 UPCS-CLIENT-UWL UMC-7845-71-UWL IME-7845-80 UNITYCNS-USR	Cisco	CPU, 12GB RAM, &x146GB HDD Power Cord, 2002490 &A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Onstalle) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unified IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User GowtEdu 1-Yr UWL, STD UCSS for GowtEdu Only Analog, non-app device add-on for UWL UCSS for UCM analog user for One Year - 1 user Unitied Personal Communicator 8 x for CUWL only CUCM 7.1 7845 for CUWL only IME 8.0 7845 One Unity Connection 8 x User - All user Features Unity Connection 8 x for VMWare Cisco Unified Presence 8.0 for CUWL only SSENTIAL SW CUWL. Top Level-See Svc on	0.00 2.980.00 724.00 875.00 495.00 33.00 370.00 465.00 0.00 325.00 35.00 40.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 495.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52 0.00 440 0.00 1 75.00 6 0.00 1	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 177,368.00 177,368.00 143,000.00 1,000.00 0.00 0.00 0.00 0.00 0.0
C-CAB-NSK6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= INGLFOOTSTAND= 945G= CKNGWALLMNT2= WR-CUBE-3= L-LIC IWL-STD-SLED S-UWL-STD1 S-CEV-UWL S-ANLG-1-1 3-CLIENT-UWL 7845-71-UWL 7845-71-UWL 7845-80 YCN8-WMWARE 80-UWL ICSTD-INGLEST INGLEST ING	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCST-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLFOOTSTAND= CP-7942G= CP-7942G= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANIG-DEV-UWL UCSS-ANLG-1-1 UPCS-CLIENT-UWL IME-7845-91 UNITYCN8-USR UNITYCN8-USR UNITYCN8-USR UNITYCN8-USR UNITYCN8-UWL CON-ESW-CUWLLIC	Cisco	CPU, 12GB RAM, &x146GB HDD Power Cord, 2002490 &A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Dnistle) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 7945, Gig Ethernet, Color, spare Cisco Unified IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User GowtEdu 1-Yr UWL, STD UCSS for GowtEdu Only Analog, non-app device add-on for UWL UCSS for UCM analog user for One Year - 1 user Unified Personal Communicator 8 x for CUWL only CUCM 7.1 7845 for CUWL only IME 8.0 7845 One Unity Connection 8 x User - All user Features Unity Connection 8 x for VMWare Cisco Unified Presence 8.0 for CUWL only SSENTIAL SW UUML Top Level-See Svc on Components SSENTIAL SW Umlfilled Workspace Licensing	0.00 2.980.00 724.00 875.00 495.00 33.00 370.00 465.00 0.00 325.00 325.00 320.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52 0.00 440 0.00 1 75.00 6 0.00 1 0.00 1	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 177,368.00 143,000.00 15,400.00 2,080.00 156.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= 916- 916- 916- 945G= CKNGWALLMNT2= WR-CUBE-3= /L-LIC JWL-STD-SLED S-UWL-STD1 -D-EV-UWL S-ANLG-1-1 8-CLIENT-UWL -7845-71-UWL -7845-71-UWL -7845-80 YCN8-WMWARE -80-UWL -ESW-CUWLLIC	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCST-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLPOOTSTAND= CP-7942G= CP-7945G= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANIG-DEV-UWL UCSS-ANLG-1-1 UPC8-CLIENT-UWL UM-7845-71-UWL IME-7845-80 UNITYCN8-USR	Cisco	CPU, 12GB RAM, 6x146GB HDD Power Cord, 200240V 6x North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x1x4 (Dnistle) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unified IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User GowtEdu 1-Yr UWI, STD UCSS for GowTedu Only Analog, non-app device add-on for UWL UCSS for UCM analog user for One Year - 1 user Unified Personal Communicator 8 x for CUWL only CUCM 7.1 7845 for CUWL only IME 8.0 7845 One Unity Connection 8.x User - All user Features Unity Connection 8.x for VMWare Cisco Unified Presence 8.0 for CUWL only SSENTIAL SW Umit Tipe Level-See Svc on Components SSENTIAL SW Umit Tipe In Exested add- SSENTIAL SW Unified Workspace Licensing STD, 1 User SSESTIAL SW Analog, non-app device add-	0.00 2.980.00 724.00 875.00 495.00 33.00 370.00 465.00 0.00 325.00 325.00 320.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52 0.00 440 0.00 1 75.00 6 0.00 1 0.00 1 0.00 1	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 585.00 177,368.00 17,368.00 15,400.00 15,600.00 0.00 0.00 0.00 0.00 0.00 0.00 0.
C-CAB-N5K6A-NA MW-UC-STD-K9-1A ON-UCS7-UCSC210M ON-ISV1-UCSTD1A  965G= 916= 916= 916- 916- 916- 942G= 942G= 942G= 942G= 942G= 944G= CKNGWALLMNT2= WR-CUBE-3= /L-LIC JWL-STD-SLED S-UWL-STD1 -D-EV-UWL S-ANLG-1-1 8-CLIENT-UWL -7845-71-UWL -7845-71-UWL -7845-80 YCN8-USR YCN8-VMWARE -80-UWL -ESW-CUWLLIC -ESW-STDSLED -ESW-DEVUWL	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLPOOTSTAND= CP-7942G= CP-P945G= CP-LCKNGWALLMNT2= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANI,G-DEV-UWL UCSS-ANLG-1-1 UPC8-CLIENT-UWL UCM-7845-71-UWL IME-7845-80 UNITYCN8-USR UNITYCN8-USR UNITYCN8-USR UNITYCN8-USR UNITYCN8-USR UNITYCN8-USR CUP-80-UWL CON-ESW-CUWLLIC CON-ESW-CUWLLIC CON-ESW-DEVUWL	Cisco	CPU, 12GB RAM, &x146GB HDD Power Cord, 200240V 6A North America VMware ESXi 4.0 Standard (2 CPU), 1 yr support required 24x7x4 (Onsite) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware VSphereESXi 4.0 Std, 2 CPU, 1yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 7945, Gig Ethernet, Color, spare Cisco UC Phone 7945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phone Series IP Phone CUWL Top Level Unified Workspace Licensing STD, 1 User GovtEdu 1-Yr UWL STD UCSS for GovtEdu Only Analog, non-app device add-on for UWL UCSS for UCM analog user for One Year - 1 user Unified Personal Communicator 8 x for CUWL only CUCM 7.1 7845 for CUWL only IME 8.0 7845 One Unity Connection 8.x User - All user Features Unity Connection 8.x for VMWare Cisco Unified Presence 8.0 for CUVL only SSERTIAL SW CUWL Top Level-See Svc on Components SSERTIAL SW Unified Workspace Licensing STD, 1 User SSERTIAL SW One Unity Con8.x User - All	0.00 2.980.00 724.00 875.00 495.00 33.00 370.00 465.00 0.00 325.00 325.00 320.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52 0.00 440 0.00 1 75.00 6 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 585.00 177,368.00 1,000 0.00 15,000 0.00 0.00 0.00 0.00 0.00 0.00 0.00
IC-CAB-N5K6A-NA MW-UC-STD-K9-1A CON-UCS7-UCSC210M CON-ISV1-UCSTD1A	UC-CAB-N5K6A-NA VMW-UC-STD-K9-1A CON-UCST-UCSC210M CON-ISV1-UCSTD1A  CP-7965G= CP-7916= CP-SINGLPOOTSTAND= CP-7942G= CP-7945G= CP-PWR-CUBE-3= CUWL-LIC LIC-UWL-STD-SLED UCSS-UWL-STD1 ANIG-DEV-UWL UCSS-ANLG-1-1 UPC8-CLIENT-UWL UM-7845-71-UWL IME-7845-80 UNITYCN8-USR	Cisco	CPU, 12GB RAM, 6x146GB HDD Power Cort, 200240V 6x North America VMware ESX: 4.0 Standard (2 CPU), 1 yr support required 24x7x4 (Onsite) - Support (UCS7) UCS- C210M1-VCD2 ISV 24X7 VMware vSphereESXi 4.0 Std,2 CPU,1 yr sup Cisco UC Phone 7965, Gig Ethernet, Color, spare 7916 UC Phone Grayscale Expansion Module Footstand kit for single 7914, 7915, or 7916 Cisco UC Phone 1945, Gig Ethernet, Color, spare Cisco UC Phone 1945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco UC Phone 1945, Gig Ethernet, Color, spare Universal Locking Wallmount Kit for 7900 Series IP Phones Cisco Unified IP Phone Power Cube CUWL Top Level Unified Workspace Licensing STD, 1 User Gov/Edu 1-Yr LWL STD UCSS for Gov/Edu Only Analog, non-app device add-on for LWL UCSS for UCM analog user for One Year - 1 user Unified Personal Communicator 8 x for CUWL only ME 8.0 7845 One Unity Connection 8.x User - All user Features Unity Connection 8.x for VMWare Cisco Unified Presence 8.0 for CUWL only ESSENTIAL SW CUWL Top Level-See Svc on Components ESSENTIAL SW CUWL Top Level-See Svc on Components ESSENTIAL SW Unified Workspace Licensing STD, 1 User ESSENTIAL SW Analog, non-app device add- on for UWL	0.00 2.980.00 724.00 875.00 495.00 33.00 370.00 465.00 31.00 45.00 0.00 325.00 320.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 4 2,980.00 2 724.00 2 875.00 1 UC Servers 595.00 13 495.00 13 33.00 13 370.00 376 465.00 48 31.00 24 45.00 13 UC Phones 0.00 1 325.00 440 40.00 52 3.00 52 0.00 440 0.00 1 75.00 6 0.00 1 0.00 1 0.00 1 0.00 1 0.00 1	0.00 5,960.00 1,448.00 875.00 41,283.00 7,735.00 429.00 139,120.00 22,320.00 744.00 585.00 177,368.00 1,000 0.00 15,400.00 0.00 0.00 0.00 0.00 0.00 0.00 0.

(5) the committed school or library resources available to implement the entire Applicant Wireless Program, including whether those funds are from the school or library's general budget or from an outside funding source;

The Stoughton Area School District has made a large financial commitment toward the success of this program by passing the spring 2010 referendum which provided over \$700,000 for a replacement of the CAN Core Infrastructure. The community organization has identified the needs and will be raising funds from a variety of sources.

(6) the effect EDU2011 support for off-premise connectivity is likely to have upon the school's or library's projects;

Research has shown when all students have access to educational and learning resources, all students can achieve at the same high levels. Our community strongly believes we need to support all children with educational and technical resources to be successful. In the November 2010 issue of Educational Leadership, an article was shared with the community organization entiled, "Opening Digital Doors" by Donna DeGennaro. In the article, it demonstrated how family would learn and work together with school districts to understand the powerful use of technology with wireless access.(A summary is available in a short eight minute video at <a href="http://vimeo.com/5115492">http://vimeo.com/5115492</a>). The community organization has found a technology implementation model which will help provide the educational and learning resources necessary for students to be successful.

Our schools would benefit from the ability of our student to access educational information and resources when they are ready and able to learn. Have the district and public libraries actively involved in the planning process have provided more opportunities for the both organizations to research out to the community to promote live long learning.

(7) an analysis of the cost-effectiveness of the current or planned Applicant Wireless Program as compared to the use of other types of technology that would also meet the Program's objectives;

Our district has several areas without the community where residents are unable to receive DSL, satellite, or cell service. This opportunity would provide access for all individuals.

(8) any relevant technology planning documents and, if applicable, a statement of long-term objectives for the Program;

The last strategic plan was created over ten years ago. Working with all stakeholders within the community, district has begun the Strategic Planning process. Meeting times have been established and committees are being formed to review, revise, and develop new goals, plans, and initiatives.

The teaching and learning component of the district has been working to improve student achievement through a nationally recognize initiative Integrated Comprehensive Service Plan. Over the last six years, student dropout rate has dropped from over 50 students to less than 5 students per year. All student achievement has risen greatly and the graduation rate for all

students is above 94%. We are continuing to build upon the ICS program which has been recognized nationally as a model for all schools.

The district is also gathering information to update the Information, Literacy, and Technology (IL&T)Plan. This plan supports all students learning initiatives and is being aligned with the new district strategic plan. One of the goals in the IL&T plan is to provide access for students to educational and learning resource. The community organization has worked to provide access to students through the public library, senior center, and youth center. All residences have benefited from additional access to Internet resources.

Both the community organization and the school district are working together to provide high quality professional development and training for all residences. We are continuing to reach out to high education to provide learning opportunities within our community.

(9) a description of the specific measures taken, or that will be taken, to ensure compliance with the Children's Internet Protection Act and measures to protect against waste, fraud, and abuse; and

Since the introduction of the Children's Information Protection Act (CIPA) Stoughton Area School District has not taken funds to filter content. It has been the communities belief that student need to understand the proper etiquette when working on the Internet. Students that come across materials that are obscene, child pornography, and or harmful to minors, the community has supported the initiative of local institutions to educate the students about the inappropriateness of the material. Community involvement and the education of students understanding the appropriateness of materials has been very empowering for student. Students have an important stake in their education at Stoughton because they are taught to understand the appropriateness of materials.

Currently, our users need to have a username and password to access the wireless system. If users outside the school district require access, a system is in place to grant access. The new layer switches that are being installed will have the ability to establish automatic notification when unusual traffic appears on the network. We will be able to run report to educate our community of the expected etiquette to be used on the network and address the users when the community established etiquette has been compromised.

(10) a description of internal policies and enforcement procedures governing acceptable use of the wireless devices used in the Program off the school or library's premises.

On December 16<sup>th</sup>, the Internet and Device Policy was reviewed. The School Board policy Committee needs to review the revisions a second time prior to presenting it to the full school board. Below is the tentative policy.

**717.00 INTERNET AND DEVICE USAGE** (Adopted 8/19/96; Revised 4/17/00, 6/7/04, 9/05/06)

The Stoughton Area School District is committed to the appropriate use of the Internet and other resource devices to provide communications with the learning community, support delivery of the curriculum, provide challenging learning opportunities for students, and conduct District business.

The Internet is a global network containing some material which may be considered unsuitable in a school setting. The Stoughton Area School District believes access to information is critical to education. The District does not guarantee that information found on the Internet is entirely accurate, authoritative, factual, timely, or useful for user purposes, nor does the availability of networked information constitute the District's endorsement of its content. Faculty and administrators will provide students and staff with guidance and skills needed to use the Internet and devices in ways appropriate to their educational needs and personal safety.

The Stoughton Area School District does not guarantee that any telecommunication, whatever the format, will be private. This policy serves as notice to staff and students that the Superintendent/Designee, working with the Information Technology Director, may at any time, without notice and without the user's expressed permission, search individual telecommunications records and home directories, and take appropriate action as needed. The Stoughton Area School District systems operators have the authority to search, maintain, and revise the District's network systems.

The Stoughton Area School District also recognizes the value personal technology devices (PTD) add to the educational experience of all students as well as aid in improving communication with parents. The use of PTD and other emerging technologies are permitted by students. Such possession or use of the PTD will include

- 1. expanded individual access to educational resources,
- 2. the enhancement of the educational process in the school district, and an
- 3. understanding and practicing appropriate Internet and network etiquettes by the user.

Users are responsible for adhering to District use policies, guidelines and procedures. Users who bring PTD do so at their own risk. Users shall be responsible for their equipments' own maintenance, updating of software, and not hold the district responsible for the damage and/or loss of the PTD which they choose to bring to school. Illegal use of telecommunications and/or personal technology devices may also be subject to prosecution by local, state, or federal authorities.

As new and emerging technologies are adopted, staff and students are expected to apply established rights and responsibilities to those new technologies.

Legal Reference: Sections 118.0001, 118.258, 943.70(2), 947.012, and 947.0125 Wisconsin Statutes

*Required Information.* The applications filed by schools also must contain the following information: (1) the location of the schools and community buildings affected;

Stoughton Area School District	Stoughton Community
Administrative & Educational Services Center	Stoughton Hospital
320 North Street, Stoughton, WI 53589	900 Ridge Street, Stoughton, WI 53589
Fox Prairie Elementary	Skaalen Retirement Home
1601 West South Street, Stoughton, WI 53589	400 North Morris Street, Stoughton, WI 53589
Kegonsa Elementary	Nazareth House
1400 Vernon Street, Stoughton, WI 53589	814 Jackson Street, Stoughton, WI 53589
Sandhill Elementary	City of Stoughton, Fire Depart, and EMS,
1920 Lincoln Avenue, Stoughton, WI 53589	381 E Main Street, Stoughton, WI 53589
River Bluff Middle School	Stoughton Public Library
235 N Forrest Street, Stoughton, WI 53589	304 S. Fourth Street, Stoughton, WI 53589
Stoughton High School	Stoughton Public Safety Building
600 Lincoln Avenue, Stoughton, WI 53589	321 S Fourth Street, Stoughton, WI 53589
Bus Garage	Stoughton Senior Center
600 Mandt Park Road, Stoughton, WI 53589	248 W Main Street, Stoughton, WI 53589
District Maintenance Shop	Stoughton Municipal Utilities
400 North Street, Stoughton, WI 53589	600 S Fourth Street, Stoughton, WI 53589

St Ann School 324 N Harrison Street, Stoughton, WI 53589
Martin Luther School 900 W Wilson, Stoughton, WI 53589

(2) the name of the school applicant, along with a complete list of the individual schools that will be served, including their billed entity numbers;

Please see the list above. The district has apply for E-Rate under the entity number of 133003

(3) a description of the school district or school, including the type of school, such as private, public, charter, or other special type of school;

St Ann's and Martin Luther School are both private schools. In the above chart, we have also included the local hospital, assisted living facilities, city hall, public library, and public utilities buildings which are all included in the community organization. As mentioned above, we all share fiber between all of these building.

(4) a description of the Program's curriculum objectives, the grade levels included, and the number of students and teachers involved and/or being served as part of the program; and

We have 5 public school and 2 private schools which serve over 3,500 students and employees over 275 teachers. The district and private schools are currently working together to align the curriculum to better measure students growth. The district is created a data warehouse to store all the information. As part of the technology plan, the collection of school is working on developing common standard goal in which all student will be measured by.

(5) a summary of any data collected by the school on Program outcomes and achievement of Program objectives.

As the new Director of Information & Communication Systems, I am working with all stakeholder to collect the necessary data to ensure the success of the project. However, we are still in the meeting stages pending funding. As with the community supported fiber throughout the community project, all stakeholders are working with in their budgets to provide the necessary data to achieve success for our students.

Applicants must also apply for E-rate funding by following the regular E-rate program rules. Specifically, in addition to the information requested above, eligible schools and libraries must submit an FCC Form 471 application to USAC during the regular application window. We direct applicants to file an FCC Form 471 application specifically for the wireless connectivity services to be used off-premises as part of the program for which the applicant is seeking funding and file a separate FCC Form 471 for any services to be used on premises. Applicants should type "EDU2011" in the form identifier field of the FCC Form 471 application for the wireless connectivity services to be used off-premises. Applicants should also list all of the schools and/or libraries that will be receiving the off-site wireless connectivity services in Block 4 of the FCC Form 471 application. Because potential applicants will most likely already be using portable wireless devices in their school or library, applicants may have an established relationship with a service provider. Therefore, the Commission has waived, to the extent

necessary, the applicable sections of the Commission's E-rate competitive bidding rules for those EDU2011 pilot program applicants that have already entered into legally binding agreements with service providers for off-premises connectivity for portable wireless devices.[4]

The Wireline Competition Bureau (Bureau) will notify applicants and USAC when it has selected applicants to participate in the EDU2011 program. Selected applicants will receive the allotted connectivity support and will not be required to cost-allocate the dollar amount of support for the time that portable devices are not on school or library premises.[5] Applicants will receive funds sufficient to cover the amount of connectivity expenses eligible for E-rate funding based on their discount; they will still be required to pay their non-discount share. After the one-year trial period, participants will be required to submit a report to the Bureau describing in detail any data collected as a result of the program and a narrative describing lessons learned from the program, which may assist other schools and libraries desiring to adopt similar programs in the future.

## **EDU2011 Application Filing Procedures:**

Eligible schools and libraries may submit their applications either (1) by using the Commission's Electronic Comment Filing System (ECFS) or (2) by filing paper copies. All applications submitted as part of the EDU2011 pilot program must refer to WC Docket No. 10-222.

- Electronic Filers: Applications may be filed electronically using the Internet by accessing the ECFS: <a href="http://fjallfoss.fcc.gov/ecfs2/">http://fjallfoss.fcc.gov/ecfs2/</a>.
- Paper Filers: Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.
- All hand-delivered or messenger-delivered paper filings for the Commission's Secretary must be delivered to FCC Headquarters at 445 12<sup>th</sup> St., SW, Room TW-A325, Washington, DC 20554. The filing hours are 8:00 a.m. to 7:00 p.m. All hand deliveries must be held together with rubber bands or fasteners. Any envelopes must be disposed of before entering the building.
- Commercial overnight mail (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9300 East Hampton Drive, Capitol Heights, MD 20743.
- U.S. Postal Service first-class, Express, and Priority mail must be addressed to 445 12<sup>th</sup> Street, SW, Washington DC 20554.

Eligible schools and libraries may also send a courtesy copy of their filing via email to <a href="mailto:EDU2011pilot@fcc.gov">EDU2011pilot@fcc.gov</a> or by mail to Regina Brown, Telecommunications Access Policy Division, Wireline Competition Bureau, Federal Communications Commission, 445 12<sup>th</sup> Street,

S.W., Room 5-A360, Washington, D.C. 20554 or Rebekah Bina, Telecommunications Access Policy Division, Wireline Competition Bureau, Federal Communications Commission, 445 12<sup>th</sup> Street, S.W., Room 5-B521, Washington, D.C. 20554.

For further information, please contact Regina Brown or Rebekah Bina, Wireline Competition Bureau at (202) 418-7400 begin\_of\_the\_skype\_highlighting (202) 418-7400 end\_of\_the\_skype\_highlighting or TTY (202) 418-0484.

- FCC -

- [1] See Schools and Libraries Universal Service Support Mechanism, A National Broadband Plan For Our Future, CC Docket No. 02-6, GN Docket No. 09-51, Sixth Report and Order, FCC 10-175 (rel. Sept. 28, 2010) (Schools and Libraries Sixth Report and Order).
- [2] *Id.* at paras. 44-50.
- [3] For example, a school or library that had developed a detailed, specific plan for such a project but had not started implementation due to lack of funding would be eligible.
- [4] Schools and Libraries Sixth Report and Order at para. 47; 47 C.F.R. § 54.504 (2009).
- [5] This funding only relates to support for wireless, off-premises connectivity service, and not the purchase of devices or equipment, such as mobile broadband cards, smartphones, or digital textbooks. *Schools and Libraries Sixth Report and Order* at paras. 46, 50.